



250-251^{Q&As}

Administration of HA Solutions for UNIX (VCS 5.0)

Pass Symantec 250-251 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/250-251.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Click on the Exhibit Button.



All service groups have FailOverPolicy=Load and are allowed to run on all of the systems. What happens if Svr4 faults?

- A. G4 fails over to Svr1 and G5 remains offline everywhere.
- B. G4 fails over to Svr1 and G5 fails over to Svr3.
- C. G4 fails over to Svr3 and G5 fails over to Svr2.
- D. G4 fails over to Svr3 and G5 remains offline everywhere.

Correct Answer: B

QUESTION 2

Which system is unsuitable for use in a multinode cluster? System S1: one local drive three network interfaces access to shared storage multiple processors two HBAs System S2: two mirrored local drives

three network interfaces access to shared storage a single processor two HBAs System S3: two mirrored local drives three network interfaces access to shared storage multiple processors one HBA System S4: two mirrored local drives three network interfaces multiple processors two HBAs

- A. System S1
- B. System S2
- C. System S3



D. System S4

Correct Answer: D

QUESTION 3

Refer to the exhibit.

```
include "types.cf"
cluster default_clus (
    UserNames = {
        aaron = alksjfalldjaldfaH,
        barbara = ieruhrkafhkhake,
        carmen = urHkjREOHGkajhuel,
        dionne = lasdfasiLjirrljl,
        edward = asdlfjaielajfLKio,
        fung = EIwfjsldfjaldfjam,
        georgia = LlkjLrLkjrleirka }
    Administrators = { aaron }
    Operators = { barbara, georgia }
    CounterInterval = 5
)
group group1 (
    SystemList = { sys1 = 0, sys2 = 1 }
    AutoStartList = { sys1 }
    Administrators = { carmen }
    Operators = { dionne }
)
group group2 (
    SystemList = { sys2 = 0, sys1 = 1 }
    AutoStartList = { sys2 }
    Administrators = { edward }
    Operators = { fung }
)
```

Which two users can persistently freeze the service group group2? (Select two.)

- A. aaron
- B. barbara
- C. carmen
- D. edward
- E. fung
- F. georgia

Correct Answer: AD

QUESTION 4

What additional functionality is added to the Java GUI when accessing the VCS Simulator rather than a running cluster? (Choose two.)



- A. Power off/on a system
- B. Delete a system
- C. Fault a resource
- D. Fault a heartbeat link
- E. Power off/on a disk array
- F. Remove a heartbeat link

Correct Answer: AC

QUESTION 5

What can a system administrator do to ensure that Veritas Volume Manager volumes are started by the Volume resource rather than the DiskGroup resource?

- A. change the default value of the StartVolumes attribute of the Volume agent
- B. change the service group so that it excludes the DiskGroup resource
- C. create a dependency from the DiskGroup resource to the Volume resource
- D. change the default value of the StartVolumes attribute of the DiskGroup agent

Correct Answer: D

[250-251 PDF Dumps](#)

[250-251 Exam Questions](#)

[250-251 Braindumps](#)