



# 250-272<sup>Q&As</sup>

Administration of Symantec NetBackup 7.6.1

## Pass Symantec 250-272 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/250-272.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator has backups failing with status code 96 due to tapes being prevented from returning to the scratch volume pool after the images they contain expire. What prevented the media from returning to the scratch pool?

- A. media was created in volume pools other than the scratch pool
- B. media was in an off-site location
- C. media was written with multiplexed images
- D. an application other than NetBackup wrote to the media

Correct Answer: A

---

**QUESTION 2**

A tape library had the robot firmware upgraded and now the robot is reading the barcodes with additional characters.

How should an administrator enable NetBackup 7.6.1 to use the same characters as before the firmware upgrade occurred?

- A. update the Media ID Generation setting
- B. update Media settings
- C. update Device mappings
- D. update the Barcode Rules setting

Correct Answer: A

---

**QUESTION 3**

In which order should an administrator perform upgrades to a major release in a NetBackup environment?

- A. Master Server, OpsCenter Server, Media Server, Clients
- B. OpsCenter Server, Master Server, Media Server, Clients
- C. Master Server, Media Server, OpsCenter Server, Clients
- D. Master Server, Media Server, Clients, OpsCenter Server

Correct Answer: A

---

**QUESTION 4**

An administrator took Media Server, mediaA, offline for maintenance and set up a new Media Server, mediaB, with access to the previously backed up data. When restores are performed for data that was backed up by mediaA, the restores fail. Which setting in the Host Properties must the administrator modify to allow successful restores?

- A. From the Master Server, run the bpimage command to change the name of the Media Server from mediaA to mediaB.
- B. Verify both Media Servers are set up in the Media Server Host Properties > Restore Failover section.
- C. In the BAR GUI, change the "Server to use for backup and restores" setting to MediaB.
- D. Verify both Media Servers are set up in the Master Server Host Properties > Restore Failover section.

Correct Answer: D

---

**QUESTION 5**

An administrator tries to suspend an active job from the NetBackup Activity Monitor, but discovers that the option is grayed out.

What is preventing the administrator from suspending the job?

- A. child jobs are still active
- B. the parent job is still active
- C. Multiplexing is enabled
- D. Checkpoint restart is disabled

Correct Answer: D

[250-272 VCE Dumps](#)

[250-272 Study Guide](#)

[250-272 Exam Questions](#)