



250-556^{Q&As}

Administration of Symantec ProxySG 6.7

Pass Symantec 250-556 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/250-556.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Symantec
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which best describes BCAA? (Choose the best answer.)

- A. An intermediary between the ProxySG and an authentication server
- B. An application that sends sysinfo snapshots to Symantec support
- C. Symantec's internal authorization and authentication service
- D. A utility that allows a direct connection between the ProxySG and an authentication domain.

Correct Answer: A

QUESTION 2

How do policy checkpoints evaluate the installed policy on a ProxySG? (Choose the best answer.)

- A. At each checkpoint, a decision is made whether to allow or deny the transaction
- B. The Server In checkpoint decides which rules will be evaluated by the other checkpoints
- C. Relevant rules are evaluated at each checkpoint based on the information about the transaction that is available at that point
- D. The Client In checkpoint decides which rules will be evaluated by the other checkpoints

Correct Answer: C

QUESTION 3

What are two (2) methods by which the ProxySG can detect the type of a file that is downloaded? (Choose two.)

- A. Checking the HTTP cache
- B. Performing an anti-virus scan
- C. Checking the file extension
- D. Submitting the URL to WebPulse
- E. Detecting apparent data type

Correct Answer: CE

QUESTION 4

What is a series of sysinfo files gathered at periodic intervals called? (Choose the best answer.)



- A. Core image dump
- B. Event logs
- C. Snapshot
- D. Minicontext

Correct Answer: C

QUESTION 5

When does the ProxySG establish an Schannel? (Choose the best answer.)

- A. When the client sends an NTLM type 2 message to the ProxySG
- B. When a client request is first received
- C. When IWA authentication fails
- D. When the client sends an NTLM type 3 message to the ProxySG

Correct Answer: A

[250-556 PDF Dumps](#)

[250-556 Practice Test](#)

[250-556 Braindumps](#)