



299-01^{Q&As}

Riverbed Certified Solutions Professional - Network Performance Management

Pass Riverbed 299-01 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/299-01.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Riverbed Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What must happen prior to running WAN Optimization reports on Cascade Profiler?

- A. Host Groups must be configured.
- B. Cascade Profiler must be successfully polling Steelhead appliances via SNMP.
- C. The WAN-Steelhead interface group must be populated with WAN interfaces for all Steelhead appliances.
- D. The Profiler baseline collection must be complete.
- E. A WAN Optimization reporting template must be configured.

Correct Answer: C

QUESTION 2

Which of the following are TRUE concerning packet capture jobs on the Cascade Shark appliance. (Select 4)

- A. Packets can be captured from multiple capture ports on one Cascade Shark appliance.
- B. The maximum length the packet data can be specified.
- C. Packets can be filtered on host IP addresses.
- D. SSL traffic can be decoded if the appropriate certificate are loaded in the Cascade Shark appliance.
- E. The maximum storage bandwidth for the job can be specified in bits/sec.
- F. Multiple packet capture jobs can run concurrently.

Correct Answer: ABCF

QUESTION 3

On Cascade Profiler, can you run a traffic report that shows all traffic from inside the network to outside the network, but excludes a proxy server?

- A. No, this cannot be done with Cascade.
- B. Set up the query to ask for all hosts between: Hosts "Within" a group "ByInternalHosts: All" (where All is a host grouping containing all inside address space) and for Peers set to "Outside of. ByInternalHosts:All".
- C. Configure query as B above but also add the Proxy Server to the "Outside" list.
- D. Configure query as B above but also add the Proxy Server as a "not" in the Traffic Expression field. The expression to add would be "not host proxyhost " where proxyhost is the IP Address of the proxy.

Correct Answer: D



QUESTION 4

How is the Cascade Pilot license activated?

- A. The license key is entered during installation. The license is activated either through an Internet connection or by phone.
- B. The license key is entered during installation. The license must be activated through an Internet connection.
- C. The license key is entered during installation. There is no activation but Cascade Pilot will detect if the license is already in use on the network.
- D. There is no license key activation. The software image is shipped with the license key installed.

Correct Answer: A

QUESTION 5

To better analyze live traffic on Cascade Shark from Cascade Pilot you should:

- A. Apply a View on the live interface and then start a Capture Job on the capture port to analyze traffic later.
- B. Start a Capture Job on the capture port with a BPF filter and apply a View on the live interface for the same capture job.
- C. Start a Capture Job on the capture port, apply a View on the live interface and create a trace clip for the time window of interest.
- D. Never create a Capture Job to prevent packet drops.

Correct Answer: C

[299-01 Practice Test](#)

[299-01 Study Guide](#)

[299-01 Braindumps](#)