



# 2V0-21.20<sup>Q&As</sup>

Professional VMware vSphere 7.x

## Pass VMware 2V0-21.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-21-20.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



Which two migration methods can an administrator use to move virtual machines from the SA-Dev cluster to the SA-Compute cluster? (Choose two.)

- A. Cold migration of compute resource only
- B. Cold migration of storage only
- C. Hot migration of compute resource and storage resource
- D. Hot migration of compute resource only
- E. Cold migration of compute resource and storage resource

Correct Answer: CE

**QUESTION 2**

What is the foundation of a software-defined data center (SDDC)? (Choose the best answer.)

- A. vRealize Operations Manager
- B. vSphere
- C. vSAN
- D. NSX

Correct Answer: B



Reference: <https://www.vmware.com/solutions/software-defined-datacenter.html#:~:text=as%2050%20percent.,vSphere,point%20for%20building%20your%20SDDC>

---

### QUESTION 3

Which action is supported over a VMkernel vMotion TCP/IP stack? (Choose the best answer.)

- A. Hot migrations
- B. Fault tolerance protection
- C. Virtual machine cloning
- D. Snapshot creation

Correct Answer: B

---

### QUESTION 4

In a vSphere High Availability (vSphere HA) cluster, which action does vSphere HA take when the VM Monitoring service does NOT receive heartbeats from a virtual machine (VM) in the cluster? (Choose the best answer.)

- A. The VM is restarted on a different host in the cluster.
- B. The VM is suspended on the same host in the cluster.
- C. The VM is migrated to a different host in the cluster.
- D. The VM is restarted on the same host in the cluster.

Correct Answer: A

---

### QUESTION 5

An administrator wants to configure vCenter Server High Availability so that each node is located in a different data center.

Which requirement must be met? (Choose the best answer.)

- A. Each node must be configured with at least three network adapters.
- B. Network latency between the nodes must be less than 10 milliseconds.
- C. All nodes must be located on a vSAN datastore in each data center.
- D. A vCenter Server license must be assigned to each node.



Correct Answer: B

[2V0-21.20 Practice Test](#)

[2V0-21.20 Study Guide](#)

[2V0-21.20 Braindumps](#)