



# 2V0-31.20<sup>Q&As</sup>

Professional VMware vRealize Automation 8.1

## Pass VMware 2V0-31.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-31-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which command would an administrator run to access the logs for a specific service?

- A. vracli logs -n prelude
- B. kubectl logs -n prelude
- C. docker logs --tail
- D. kubectl -n prelude get pods

Correct Answer: A

Reference: <https://www.stevenbright.com/2020/01/vmware-vrealize-automation-8-0-logs/>

---

### QUESTION 2

An administrator configures cloud accounts for vSphere, Amazon Web Services and Google Cloud Platform. Each public cloud account has a single region configured, with a single cloud zone associated with each. Company policy states that all development workloads should be deployed to the public cloud. The administrator wants to ensure that when creating blueprints for this project an appropriate constraint tag is specified to meet the placement policy and that App-Dev users are allowed to select whether to deploy the machine to production or development. The tagging strategy states that development environments should be tagged with "dev" and production environments should be tagged "prod".

Which two actions should the administrator take to ensure the objective is met? (Choose two.)

- A. Add a capability tag to each public cloud zone, using env:prod as the key/value pair.
- B. Add a capability tag to each vSphere cloud zone, using env:prod as the key/value pair.
- C. Add a capability tag to each public cloud zone, using env:dev as the key/value pair.
- D. Add a capability tag to each vSphere cloud zone, using env:dev as the key/value pair.
- E. Add a capability tag to each cloud account, using env:prod as the key/value pair.

Correct Answer: BC

Reference: <https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID9DB7610D-9179-419B-9605-539F625A81D1.html>

---

### QUESTION 3

Refer to the exhibit.



## New Cloud Account

### vCenter Server Credentials

vCenter IP address/FQDN \*  ⓘ

Username \*

Password \*

VALIDATE

! Unable to validate the provided access credentials: Failed to validate credentials. Error: Invalid hostname: https://sa-vcsa-01.vclass.local Endpoint: null Task: /provisioning/endpoint-tasks/9c230d2dd98066755a4e835f7d6a0

Name \*

Description

Capabilities ⓘ

Capability tags

ADD CANCEL

An administrator receives the error in the attached screenshot when attempting to add a cloud account. What is a possible cause of this error?

- A. The hostname uses a URL instead of IP address/FQDN.
- B. A cloud account exists with the same name.
- C. The username and password are incorrect.
- D. There is an invalid certificate for the vCenter.

Correct Answer: C

### QUESTION 4

The administrator is tasked with creating a number of different content sources in Service Broker so that multiple types of catalog items can be created.



What is the only public cloud template that can be selected as a content source in Service Broker?

- A. Azure Resource Manager (ARM) templates
- B. AWS CloudFormation templates
- C. Alibaba Cloud Resource Orchestration Service templates
- D. Google Cloud Deployment Manager templates

Correct Answer: B

Reference: <https://docs.vmware.com/en/VMware-Service-Broker/services/Using-and-Managing/GUID2B831357-3F5A-4F07-B0EE-82CBE0CE1342.html>

---

#### QUESTION 5

What is the function of Action-Based Extensibility (ABX)?

- A. It provides intelligent remediation and integrated compliance for security patches.
- B. It provides the capability to migrate content between instances of vRealize Automation.
- C. It provides efficient capacity and cost management for managed virtual machines.
- D. It provides a way to execute stateless functions, which contain reusable parameterized actions.

Correct Answer: D

Reference: <https://docs.vmware.com/en/VMware-Cloud-Assembly/services/Using-and-Managing/GUID55847415-5920-47E7-86BD-20CD9EB6BA6B.html>

[Latest 2V0-31.20 Dumps](#)

[2V0-31.20 Practice Test](#)

[2V0-31.20 Study Guide](#)