



2V0-41.20^{Q&As}

Professional VMware NSX-T Data Center

Pass VMware 2V0-41.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-41-20.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer has a network where BGP has been enabled and the BGP neighbor is configured on the Tier-0 Gateway. A NSX-T Data Center administrator used the get logical-routers command to retrieve this information: Which two commands must be executed to check BGP neighbor status? (Choose two.)

```
sa-nsxedge-01> get logical-routers
```

```
Logical Router
```

UUID Type	VRF	LR-ID	Name
Ports			
736a80e3-23f6-5a2d-81d6-bbefb2786666 TUNNEL	0	0	
B10ef54e-d5f3-49e5-99b7-8a51366d0592 SERVICE_ROUTER_TIER1	1	1025	SR-T1-LR-01
5a5ddd63-3764-4d28-b82e-ee4c964a0dfd SERVICE_ROUTER_TIER0	3	2049	SR-T0-LR-01
0E0784db-511f-fa72-ae0b-1ccaa0262ad2 DISTRIBUTED_ROUTER_TIER0	4	7	DR-T0-LR-01

- A. vrf 3
- B. vrf 1
- C. vrf 4
- D. sa-nsxedge-01(tier1_sr)> get bgp neighbor
- E. sa-nsxedge-01(tier0_sr)> get bgp neighbor
- F. sa-nsxedge-01(tier0_dr)> get bgp neighbor

Correct Answer: AE

QUESTION 2

Which two commands are used to query the arp-table of a logical switch? (Choose two.)

- A. get logical-switch arp-table
- B. get logical-switch arp-table
- C. get logical-switch arp-table



D. get logical-switch arp-table

E. get logical-switch arp-table

Correct Answer: DE

QUESTION 3

Which two statements are true for a Tier-1 Gateway? (Choose two.)

A. owned and configured by the Tenant

B. connects to physical networks

C. owned and configured by Service Provider

D. always configured in active-standby mode

E. supports ECMP

Correct Answer: BD

QUESTION 4

Which CLI command would an administrator use to allow syslog on an ESXi transport node when using the esxcli utility?

A. esxcli network firewall ruleset -e syslog

B. esxcli network firewall ruleset set -a -e false

C. esxcli network firewall ruleset set -r syslog -e true

D. esxcli network firewall ruleset set -r sysloq -e false

Correct Answer: C

https://docs.vmware.com/en/VMware-NSX-T-Data-Center/2.2/nsxt_22_troubleshoot.pdf

QUESTION 5

A DevOps user has deployed a Kubernetes Pod in vSphere.

What does the term ClusterIP represent within NSX-T?

A. Deployment of T1 with NLB service.

B. Deployment of Distributed Router.

C. Deployment of Distributed Load Balancing service.



D. Deployment of T0 and T1

Correct Answer: C

[2V0-41.20 VCE Dumps](#)

[2V0-41.20 Exam Questions](#)

[2V0-41.20 Braindumps](#)