



2V0-622^{Q&As}

VMware Certified Professional 6.5 – Data Center Virtualization (6.5)
Exam

Pass VMware 2V0-622 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-622.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two components are necessary for the first boot of a host using Auto Deploy? (Choose two.)

- A. Host Profiles
- B. Bulk licensing
- C. vSphere Authentication Proxy
- D. TFTP
- E. DHCP

Correct Answer: DE

QUESTION 2

What two services run on all nodes in a vCenter Server HA cluster? (Choose two.)

- A. vmware-vmon
- B. vmware-vpostgres
- C. vmare-rbd-watchdog
- D. vmware-vcha

Correct Answer: AD

QUESTION 3

Which is required by vCenter Converter Standalone to convert a physical Red Hat Enterprise Linux 7 machine to a virtual machine?

- A. The Linux machine must be powered off.
- B. The Linux machine must have the SSH daemon started.
- C. The Linux machine must use a static IP address.
- D. The Linux machine must have a fully-qualified domain name.

Correct Answer: B

Ports used when converting a powered on machine running Linux Table contains a list of the ports that must be open during the conversion of powered on source machines running Linux.

**Ports required during Linux P2V**

Communication Path	TCP Ports	Notes
Converter Standalone server to powered on source machine	22	Used to establish an SSH connection between the Converter Standalone server and the source machine.
Converter Standalone client to Converter Standalone server	443	Required only if the Converter Standalone server and client components are on different machines.
Converter Standalone server to vCenter server	443	Required only if the conversion destination is a vCenter Server.
Converter Standalone server to ESX/ESXi	443, 902	If the conversion destination is a vCenter Server, only port 902 is required.
Converter Standalone server to helper virtual machine	443	
Helper virtual machine to powered on source machine	22	Used to establish an SSH connection between the helper virtual machine and the source machine. By default, the IP address of the helper virtual machine is assigned by DHCP. If no DHCP server is available on the destination network, you must manually assign the helper virtual machine an IP address.

QUESTION 4



ds-lab-vsan14.dsl.vmware.com- Edit Multipathing Policies for naa.600000e00d11000000111cd200110000

Path selection policy

Most Recently Used (VMware)			
Most Recently used (VMWARE)			
Round Robun (VMware)			
Fixed (VMware)			

vmhba39:C3: T0:IO	◆ Active	ign.2000-09.com.tnjitsy.storage-sysl	0
vmhba39:C2: T0:LO	◆ Active (I/O)	ign.2000-09.com.tnjitsy.storage-sysl	0

OK Cancel

Examine the LUN properties that are shown in the exhibit. Which action should be taken to utilize all active paths?

- A. Change PSP to Most Recently Used
- B. No action required. All paths are already utilized.
- C. Change PSP to Fixed.
- D. Change PSP to Round Robin.

Correct Answer: D

The host uses an automatic path selection algorithm rotating through all active paths when connecting to active-passive arrays, or through all available paths when connecting to active-active arrays. RR is the default for a number of arrays and can be used with both active-active and active-passive arrays to implement load balancing across paths for different LUNs.

QUESTION 5

An administrator is investigating virtual machine performance issues using ESXTOP. The ESXi host does



not have hyperthreading enabled.

Which statistics would be relevant for troubleshooting VM performance issues?

- A. %RDY
- B. %IDLE
- C. %RUN
- D. CORE UTIL(%)

Correct Answer: A

[2V0-622 PDF Dumps](#)

[2V0-622 Exam Questions](#)

[2V0-622 Braindumps](#)