2V0-641 Q&As

VMware Certified Professional 6 – Network Virtualization Beta

Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/2v0-641.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase
100% Money Back Guarantee
365 Days Free Update
800,000+ Satisfied Customers

QUESTION 1

-- Exhibit -



-- Exhibit -

Refer to the Exhibit. You are designing a network for NSX and your customer has stated that virtual machine traffic needs to span the virtual and physical space. Based on the exhibit, where should this requirement be configured?

A. Location A.

B. Location B

C. Location C

D. Locations B and C.

Correct Answer: B

QUESTION 2

-- Exhibit -Exhibit -



An administrator has created an NSX network as shown in the exhibit.

Both VMs in the exhibit use the same distributed router for their default gateway. VM-B obtains its IP

address via DHCP. VM-A wants to send a packet to VM-B.

How does VM-A learn VM-B\\'s MAC address?

A. If Host-A is made aware by the NSX Controller of VM-B\\'s MAC and IP addresses, Host-A replies directly to VM-A with an ARP response.

B. If Host-A is made aware by Host-B of VM-B\\'s MAC and IP addresses, Host-A replies directly to VM- A with an ARP response.

C. If the NSX Controller is made aware by Host-B of VM-B\\'s MAC and IP addresses, the NSX Controller replies directly to VM-A with an ARP response.

D. If Host-B is aware of VM-B\\'s MAC and IP addresses, Host-B is able to reply directly to VM-A with an ARP response.

Correct Answer: A

QUESTION 3

An administrator needs to perform a configuration backup of NSX. From which two locations can this task be performed? (Choose two.)

A. Directly on the NSX Manager

B. From the vSphere Web Client

C. Using the NSX API

D. Directly on each NSX Controller

Correct Answer: AC

QUESTION 4

-- Exhibit -

role	port	listening	open conns
api provider	api/443	Y	2
persistence_server	server/2878	-	0
	client/2888	Y	0
	election/3888	Y	1
switch_manager	ovsmgmt/6632	Y	0
	openflow/6633	Y	0
system	cluster/7777	Y	1

-- Exhibit -

An administrator is troubleshooting a NSX controller cluster issue and runs the control-cluster command,

as shown in the Exhibit.

What information can be determined from the output provided in the exhibit?

A. This is the control cluster majority leader controller.

B. There are two controllers in the cluster.

C. This is not the control cluster majority leader controller.

D. The persistence_server role is not functioning correctly.

Correct Answer: C

QUESTION 5

-- Exhibit -

--Exhibit -Your data center clusters are configured as shown in the exhibit.

Core0 uses Virtual SAN and hosts virtual machines running the following components:

vCenter Server

Single Sign-On Server

Update Manager

·SQL Server database Core1, Core2, and Core3 use a single Fibre Channel attached storage array. Core1 hosts over 500 virtual machines. Core2 hosts over 400 virtual machines. Core3 hosts 100 virtual machines. Following VMware\\'s best practices, NSX Controller components should be deployed to which location(s)?

A. Deploy three NSX Controllers, one on each host of Core0.

B. Deploy four NSX controllers, one on each cluster in the data center.

C. Deploy 27 NSX controllers, one for each host in the data center

D. Deploy three NSX controllers. Deploy one in Core1, one in Core2, and one in Core3.

Correct Answer: A

2V0-641 PDF Dumps 2V0-641 VCE Dumps 2V0-641 Study Guide