



2V0-72.22^{Q&As}

Professional Develop VMware Spring

Pass VMware 2V0-72.22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-72-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two statements are true regarding @DataJpaTest? (Choose two.)

- A. TestEntityManager provides all methods that are provided by EntityManager and more.
- B. If an embedded database is on the classpath, it will be used to configure a DataSource by default.
- C. It can be used for testing both JPA components and NoSQL components.
- D. It auto-configures a TestEntityManager bean.
- E. It can be used for testing JdbcTemplate.

Correct Answer: BD

Reference: <https://docs.spring.io/spring-boot/docs/current/api/org/springframework/boot/test/autoconfigure/orm/jpa/DataJpaTest.html>

QUESTION 2

Refer to the exhibit.

```
@RestController
public class OrderController {

    ...
    @PutMapping("/store/orders/{id}")
    void update(@PathVariable String id, @RequestBody Order order) {
        ...
    }
}
```

How can a response status code be set for No Content (204)? (Choose the best answer.)

- A. Annotate the update() handler method with @PutMapping("/store/orders/{id}", HttpStatus.NO_CONTENT).
- B. Annotate the update() handler method with @ResponseStatus(HttpStatus.NO_CONTENT).
- C. Annotate the update() handler method with @ResponseBody(204).
- D. The update() handler method cannot return a void type, it must return a ResponseEntity type.

Correct Answer: C

Reference: <https://stackoverflow.com/questions/55691288/is-this-the-correct-way-to-return-204-nocontent-using-spring>

QUESTION 3



Refer to the exhibit.

```
public class ClientServiceImpl implements ClientService{
    @Transactional(propagation=Propagation.REQUIRED)
    public void update() {
        update2();
    }
    @Transactional(propagation=Propagation.REQUIRES_NEW)
    public void update2() {
    }
}
```

Assume that the application is using Spring transaction management which uses Spring AOP internally.

Choose the statement that describes what is happening when the update1 method is called? (Choose the best answer.)

- A. There are 2 transactions because REQUIRES_NEW always runs in a new transaction.
- B. An exception is thrown as another transaction cannot be started within an existing transaction.
- C. There is only one transaction because REQUIRES_NEW will use an active transaction if one already exists.
- D. There is only one transaction initiated by update1() because the call to update2() does not go through the proxy.

Correct Answer: D

QUESTION 4

Which two statements describe Spring JdbcTemplate? (Choose two.)

- A. All JdbcTemplate methods throw SQLException which you are required to handle.
- B. The JdbcTemplate provides the ability to work with result sets.
- C. The JdbcTemplate can only perform update but not insert to the database.
- D. The JdbcTemplate provides methods for query execution.
- E. The JdbcTemplate generates SQL statements.

Correct Answer: BE

Reference: <https://www.baeldung.com/spring-jdbctemplate-in-list>

QUESTION 5

If a class is annotated with @Component, what should be done to have Spring automatically detect the annotated class



and load it as a bean? (Choose the best answer.)

- A. Ensure a valid bean name in the @Component annotation is specified.
- B. Ensure a valid @ComponentScan annotation in the Java configuration is specified.
- C. Ensure a valid @Scope for the class is specified.
- D. Ensure a valid @Bean for the class is specified.

Correct Answer: A

Reference: <https://www.baeldung.com/spring-component-annotation>

[Latest 2V0-72.22 Dumps](#)

[2V0-72.22 PDF Dumps](#)

[2V0-72.22 Exam Questions](#)