



# 2V0-81.20<sup>Q&As</sup>

Professional VMware Security

**Pass VMware 2V0-81.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-81-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

When creating a sensor group in VMware Carbon Black Cloud, which three are valid criteria? (Choose three.)

- A. Location Name
- B. Organizational Username
- C. Active Directory Organizational Unit
- D. Subnet
- E. Device Name

Correct Answer: CDE

---

### QUESTION 2

Which Carbon Black Cloud feature allows an administrator to audit at scale and identify gaps in least privilege configuration controls?

- A. Watchlist
- B. Live Query
- C. Investigate
- D. CB Baseline Tool

Correct Answer: C

---

### QUESTION 3

When creating a new Identity Provider (IdP) in Workspace ONE Access, which two methods are used to identify users? (Choose two.)

- A. SAML Attribute
- B. NameID Element
- C. UserID Element
- D. User Attribute
- E. SAML Response

Correct Answer: AB

---

### QUESTION 4



Which statements is true about IPFIX (Internet Protocol Flow Information Export)?

- A. When you enable IPFIX, all configured host transport nodes will send IPFIX messages to the IPFIX collectors using port 80.
- B. When you enable IPFIX, all configured host transport nodes will send IPFIX messages to the IPFIX collectors using port 3389.
- C. When you enable IPFIX, all configured host transport nodes will send IPFIX messages to the IPFIX collectors using port 443.
- D. When you enable IPFIX, all configured host transport nodes will send IPFIX messages to the IPFIX collectors using port 4739.

Correct Answer: D

---

#### QUESTION 5

Which of the following statements is true about Monitor Port Mirroring Sessions in NSX-T Data Center?

- A. This feature requires a SPAN compliant appliance.
- B. A source mirror port can be in more than one mirror session.
- C. A source mirror port cannot be in more than one mirror session.
- D. This feature requires an IPFIX compliant collector.

Correct Answer: C

[2V0-81.20 VCE Dumps](#)

[2V0-81.20 Practice Test](#)

[2V0-81.20 Exam Questions](#)