



# 2V0-81.20<sup>Q&As</sup>

Professional VMware Security

## Pass VMware 2V0-81.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2v0-81-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

What is the number of NSX managers that can be deployed in a NSX-T Data Center production environment?

- A. a single NSX Manager and three NSX Controllers
- B. a NSX Management Cluster of three Managers and a NSX Controllers Cluster of three Controllers
- C. a single NSX Management Cluster of three Managers which includes the NSX Controller function
- D. a single NSX Manager and a single NSX Controller

Correct Answer: B

---

### QUESTION 2

Where in the NSX UI does an administrator add an Active Directory Domain?

- A. Go to System > Configuration > Identity Firewall AD > ADD ACTIVE DIRECTORY
- B. Go to Inventory > Configuration > Identity Firewall AD > ADD ACTIVE DIRECTORY
- C. Go to Home > Configuration > Identity Firewall AD > ADD ACTIVE DIRECTORY
- D. Go to Security > Configuration > Identity Firewall AD > ADD ACTIVE DIRECTORY

Correct Answer: A

---

### QUESTION 3

When deploying a Carbon Black Cloud Sensor using GPO, which option is a required setting?

- A. COMPANY\_CODE
- B. LICENSE\_CODE
- C. CONNECT\_LIMIT
- D. AUTO\_UPDATE

Correct Answer: A

---

### QUESTION 4

A company has just implemented new security guidelines in regards to device management. All iOS devices must now require a passcode to unlock the device.

An administrator must implement these requirements:



all iOS devices must have a passcode

minimum passcode length of 6 numerals

auto-lock after 2 minutes

What type of profile in Workspace ONE UEM would the administrator create to accomplish this task?

- A. Compliance Profile
- B. User Profile
- C. Device Profile
- D. Access Profile

Correct Answer: C

---

#### QUESTION 5

An administrator has deployed a new NSX Distributed Firewall rule that allows only TLS 1.2 and TLS 1.3 HTTPS connections. The new rule is working, but TLS 1.0 and TLS 1.1 connections are still occurring. What step is required to enforce the TLS policy restriction?

- A. Configure a Context Profile and select DNS-TCP and DNS-UDP attributes.
- B. Configure a Context Profile and select a FQDN attributes.
- C. Configure a Context Profile and select TLS 1.2 and 1.3 attributes.
- D. Configure a Context Profile and select HTTPS and HTTP attributes.

Correct Answer: B

[2V0-81.20 PDF Dumps](#)

[2V0-81.20 VCE Dumps](#)

[2V0-81.20 Study Guide](#)