



# 2VB-601<sup>Q&As</sup>

VMware Specialist: vSAN 6.x Exam

**Pass VMware 2VB-601 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/2vb-601.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





### QUESTION 1

The vSAN health check is showing alarms for network partitioning. All hosts in the cluster are configured with a VMkernel port?

What are two possible causes for this alarm? (Choose two.)

- A. A VMkernel port was placed on a different subnet that other hosts could NOT access.
- B. A VLAN is not configured properly on a switch port.
- C. BGP protocol must be enabled on the distributed switch.
- D. LACP is a vSAN networking requirement.

Correct Answer: AB

---

### QUESTION 2

Which two statements are true? (Choose two.)

- A. Storage policies define VM storage requirements, such as performance and availability
- B. vSAN will not automatically assign a storage policy to a VM
- C. A default storage policy must be created for vSAN by the administrator
- D. The default vSAN storage policy is used unless a different storage policy is selected
- E. The administrator uses the ESX host console to view, create, and modify policies

Correct Answer: AD

---


### QUESTION 3

vSAN storage policies can be created from which three of the listed vSAN rules? (Choose three.)

- A. Compression/Deduplication enabled/disabled
- B. Disable object checksum
- C. Primary level of failures to tolerate
- D. Replication enabled/disabled
- E. Force provisioning

Correct Answer: BCE

---



B: Checksum vSAN 6.2 includes End-to-End Software checksum to help avoid data integrity issues that may arise in the underlying disks. By default, checksum is enabled in version 6.2 but can be explicitly disabled via a storage policy setting. Software checksum can be disabled by completing the following procedure.

1.

From the vSphere Web Client, click Policies and Profiles and Select VM Storage Policies.

2.

Select a Virtual Machine Policy.

3.

Right click and Select "Edit Settings"

4.

From the Rule-Set 1 screen, select "Add rule"

5.

Select "Disable object checksum" from the drop down list

References:[https://storagehub.vmware.com/export\\_to\\_pdf/storage-policies-and-vsan](https://storagehub.vmware.com/export_to_pdf/storage-policies-and-vsan)

#### QUESTION 4

What are IOPS?

- A. The amount of network bandwidth measured in segments that is required to process iSCSI overhead.
- B. The number of input and/or output operations in one second.
- C. Integrated Output Performance Statistic.
- D. Intermittent Operations in Primary Storage.

Correct Answer: B



Input/output operations per second (IOPS, pronounced eye-ops) is an input/output performance measurement used to characterize computer storage devices like hard disk drives (HDD), solid state drives (SSD), and storage area networks (SAN).

References: <https://en.wikipedia.org/wiki/IOPS>

---

#### QUESTION 5

Which are two types of flash-based storage devices? (Choose two.)

- A. M.2 HDD
- B. NVMe SSD
- C. SATA SSD
- D. SAS Expander FD

Correct Answer: AB

[2VB-601 Study Guide](#)

[2VB-601 Exam Questions](#)

[2VB-601 Braindumps](#)