

300-160^{Q&As}

Designing Cisco Data Center Computing

Pass Cisco 300-160 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/300-160.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

- 😳 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

DRAG DROP

Select and Place:

| Drag the example on the left to the appropriate type of developing business trend on the right. | | |
|---|----------------------|--------------------|
| Multi-tenancy | - HEUROP | Consolidation |
| VM-FEX | ALPOSS ^{MU} | Virtualization |
| FCoE | | Clouding Computing |

Correct Answer:



QUESTION 2

From a networking perspective, what is one reason to choose a Cisco UCS C-Series rack-mountable server over a Cisco UCS B-Series blade server?

- A. A rack-mountable server has more PCIe buses.
- B. A blade server has fewer network interfaces.
- C. A rack-mountable server can support more vNICs.
- D. A blade server uses virtualization to run more applications, which constrains available bandwidth.

Correct Answer: A

QUESTION 3

You deploy new server infrastructure by using a Cisco UCS platform. Winch two design options can you use to increase the redundancy of the new compute solution\\' (Choose two.)

A. a 10-Gb uplink port



- B. a pin vNic in the server profile to a specific Fabric Interconnect node that has failover disabled
- C. an uplink port in a port channel configuration
- D. static pinning at the server ports
- E. more than one server port to connect the Cisco UCS B-Series blade IOM

Correct Answer: BC

QUESTION 4

Which two options represent an access layer solution to virtual machine network virtualization that the network team manages just like other devices in the data center? (Choose two.)

- A. Cisco Nexus 1010
- B. VSM
- C. VEM
- D. host vPC
- E. MPIO
- Correct Answer: AC

QUESTION 5

Which two options are reasons to use Layer 3 routing to segment a data center instead of Layer 2 switching? (Choose two)

- A. Simply design
- B. Ease of routing protocol configuration
- C. Limit the scope of broadcast flooding
- D. Cost
- E. Limit the scope of spanning Tree Protocol
- Correct Answer: CE

Latest 300-160 Dumps

300-160 Practice Test

300-160 Study Guide



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © pass4itsure, All Rights Reserved.