300-165^{Q&As}

300-165^Q&As

Implementing Cisco Data Center Infrastructure

Pass Cisco 300-165 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/300-165.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

🔧 **Instant Download** After Purchase

🔧 **100% Money Back** Guarantee

🔧 **365 Days** Free Update

🔧 **800,000+** Satisfied Customers

QUESTION 1

Which Cisco NX-OS feature allows transparent Layer 2 extension between sites?

A. FabricPath

B. ETV

C. OTV

D. vPC

E. LISP

F. TrustSec

Correct Answer: C

QUESTION 2

Drag the description on the left to the most appropriate Nexus product on the right.

Select and Place:

Drag the description on the left to the most appropriate Nexus product on the right.

Supports the SAN infrastructure		Cisco Nexus 5000 Series Switches
Offers complete routing and core services		Cisco Nexus 7000 Series Switches
Includes native Fibre Channel interfaces		Cisco Nexus 2000 Series Fabric Extenders
Provides I/O consolidation		Cisco MDS 9500 Series Multilayer Directors
A virtual machine-aware software switch		Cisco Nexus 1000V Series Switches

Correct Answer:

Drag the description on the left to the most appropriate Nexus product on the right.

		Includes native Fibre Channel interfaces
		Offers complete routing and ccre services
		Provides I/O consolidation
		Supports the SAN infrastructure
		A virtual machine-aware software switch

QUESTION 3

Which interface is used for vPC peer keepalives on both 7000\\'s?

A. Port-channel 1

B. Port-channel 2

C. Port-channel 100

D. Mgmt.0

E. Ethernet 2/1

F. Ethernet 2/3

Correct Answer: D

Reference: https://learningnetwork.cisco.com/thread/104813

QUESTION 4

Cisco recommends which HSRP configuration when implementing LISP?

A. HSRP hello messages must be forwarded across data centers to create an active/active HSRP configuration.

B. HSRP groups and HSRP VIPs in all data centers in the extended LAN must be the same.

C. HSRP groups must be configured with unique MAC addresses to allow for dynamic EIDs.

D. HSPR must be set up as active-standby across data centers.

Correct Answer: A

QUESTION 5

Which feature allows routing protocols to remain in the data path during a supervisor failover?

A. Cisco Nonstop Forwarding

B. Cisco Stateful Switchover

C. Cisco Express Forwarding

D. Cisco Route Processor Redundancy

Correct Answer: A

[300-165 Study Guide](#)   [300-165 Exam Questions](#)   [300-165 Braindumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: