300-170^{Q&As}

Implementing Cisco Data Center Virtualization and Automation

Pass Cisco 300-170 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/300-170.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

You are attempting to install a switch remotely. You have a POAP script that fails to find a specified boot image on the switch. Which action do you take?

A. Adjust the script to use any image on the switch.

B. Reboot the switch

C. Abort the provisioning process

D. Download a copy of the image used by the script

Correct Answer: D

QUESTION 2

Which two methods does a Cisco APIC support to connect to the management IP address of a service appliance? (Choose two.)

A. out-of-band connectivity to devices in device clusters by using the management VLAN

B. in-band connectivity to devices in device clusters by using the VRF of the tenant

C. out-of-band connectivity to devices in device clusters by using the VRF of the tenant

D. out-of-band connectivity to devices in device clusters by using the management VRF of the tenant

E. in-band connectivity to devices in device clusters by using the management VRF of the tenant

Correct Answer: AB

QUESTION 3

Which protocol is used to communicate endpoint mapping information to the spine proxy?

A. LLDP

B. COOP

C. OpFlex

D. IS-IS

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/Operating_ACI/guide/b_Cisco_Operating_ACI/b_Cisco_Operating_ACI_appendix_011.html

QUESTION 4

You are implementing multicast routing between bridge domains for a client who is running ACI version 3.0 with Nexus ACI first-generation switches. What is required for multicast to operate?

A. an external router to perform multicast routing between the bridge domains

B. bootstrap router for RP to group mapping

C. PIM Any Source Multicast protocol

D. PIM Source Specific Multicast protocol

Correct Answer: A

QUESTION 5

Which option must be configured to allow SNMP communications and traffic?

A. an out-of-band bridge domain

B. an out-of-band contract

C. an out-of-band policy

D. an out-of-band management interface

Correct Answer: D

Reference: http://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus5000/sw/configuration/guide/cli_rel_4_0_1a/CLIConfigurationGuide/initconfig.html

Latest 300-170 Dumps   300-170 Exam Questions   300-170 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:

One Year Free Update
Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.

Money Back Guarantee
To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.

Security & Privacy
We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.