

## 300-175<sup>Q&As</sup>

Cisco Data Center Unified Computing

## Pass Cisco 300-175 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/300-175.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF Pass4itSure.com

#### https://www.pass4itsure.com/300-175.html

2022 Latest pass4itsure 300-175 PDF and VCE dumps Download

#### **QUESTION 1**

Which of the following is true with respect to recovery from failure with automatic pinning that is configured on a cluster of Cisco Unified Computing System 62XX Fabric Interconnects?

- A. By default, server MAC addresses are pinned to uplink interfaces using PIN groups.
- B. When a northbound fabric interconnect link goes down, the affected servers will use NIC teaming to re-establish connectivity on the second fabric interconnect.
- C. When a northbound fabric interconnect link goes down, the fabric interconnect will send a gratuitous ARP to the northbound switch to announce the servers on the new port.
- D. In the event that all uplink ports on the fabric interconnect lose connectivity, the 22XX I/O module shuts down all of the host ports until at least one uplink is restored.

Correct Answer: C

#### **QUESTION 2**

An administrator is required to configure a policy in Cisco UCS to schedule backups. Which two backup types can be scheduled? (Choose two.)

- A. full state
- B. import configuration
- C. logical configuration
- D. system configuration
- E. all configuration

Correct Answer: AE

 $https://www.cisco.com/c/en/us/td/docs/unified\_computing/ucs/sw/gui/config/guide/2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUI\_Configuration\_Guide\_2-1/b\_UCSM\_GUIDE\_GUI$ 

b\_UCSM\_GUI\_Configuration\_Guide\_2\_1\_chapter\_0101001.html#concept\_7075407A62F842788089041DC1B90D41

#### **QUESTION 3**

Which of the following is true concerning the Global Chassis Discovery policy configuration on the Cisco Unified Computing System Manager when using Cisco Unified Computing System 22XX I/O modules with Cisco UCS 62XX Fabric Interconnects?

- A. The link grouping preference should be set to discrete mode when the number of northbound links are not a power of 2.
- B. Set the action policy-count higher than the actual number of uplinks; otherwise, the Cisco Unified Computing System servers will not be discovered.



#### https://www.pass4itsure.com/300-175.html

2022 Latest pass4itsure 300-175 PDF and VCE dumps Download

- C. For Cisco Unified Computing System implementations that mix I/O modules with different numbers of links, it is best to manually reacknowledge the chassis in order to use all available links.
- D. Automatic reacknowledgement due to chassis discovery is never disruptive.

Correct Answer: C

#### **QUESTION 4**

A network administrator has configured all required settings for the Smart Call Home feature in Cisco UCS. What must be done next?

- A. Open a TAC case to verify contract information and start the registration process.
- B. Generate a fault to initiate a message that will start the registration process.
- C. The system automatically starts the registration process and no further action is required.
- D. Send a system inventory message to start the registration process.

Correct Answer: D

#### **QUESTION 5**

While configuring VM-FEX for Hyper-V, the virtual switch does not show up when you add the host with the port-profile management snap-in. Which statement describes the most likely cause?

- A. SR-IOV is not enabled for the virtual switch inside Hyper-V.
- B. Cisco Nexus 1000v is not enabled for the virtual switch.
- C. Hyper-V requires Cisco UCS Manager to utilize Cisco Discovery Protocol on the vNIC profile.
- D. An active VM is not associated with the port profile.
- E. VM-FEX does not work with Hyper-V.
- F. VM-FEX has been configured on the Catalyst switch but not in System Center yet.

Correct Answer: A

300-175 VCE Dumps

300-175 Study Guide

300-175 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.