



300-207^{Q&As}

Implementing Cisco Threat Control Solutions

Pass Cisco 300-207 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-207.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the default CX Management 0/0 IP address on a Cisco ASA 5512-X appliance?

- A. 192.168.1.1
- B. 192.168.1.2
- C. 192.168.1.3
- D. 192.168.1.4
- E. 192.168.1.5
- F. 192.168.8.8

Correct Answer: F

QUESTION 2

Refer to the exhibit.

```
Status as of: Wed May 22 16:05:13 2013 GMT
Hosts marked with '*' were down as of the last delivery attempt.

# Recipient Host Active Recip. Conn. Out Deliv. Recip. Soft Bounced Hard Bounced
1 example.com 1 11 10078 0 1
2 acme.com 0 3 34021 0 0
3 biology.acme.com 0 9 64026 0 0
4 *chemistry.acme.com 0 2 94091 0 0
5 pluto.acme.com 0 6 75021 0 0
5 *venus.acme.com 0 0 0 0 0
7 the.encryption.queue 0 0 98649 0 0
8 the.euq.queue 0 0 1 0 0
9 the.euq.release.queue 0 0 4531 0 0

email.example.com>
```

What CLI command generated the output?

- A. smtpoutes
- B. tophosts
- C. hoststatus
- D. workqueestatus



Correct Answer: B

QUESTION 3

In which way are packets handled when the IPS internal zone is set to "disabled"?

- A. All packets are dropped to the external zone.
- B. All packets are dropped to the internal zone.
- C. All packets are ignored in the internal zone.
- D. All packets are sent to the default external zone.

Correct Answer: D

QUESTION 4

Which two practices are recommended for implementing NIPS at enterprise Internet edges? (Choose two.)

- A. Integrate sensors primarily on the more trusted side of the firewall (inside or DMZ interfaces).
- B. Integrate sensors primarily on the less trusted side of the firewall (outside interfaces).
- C. Implement redundant IPS and make data paths symmetrical.
- D. Implement redundant IPS and make data paths asymmetrical.
- E. Use NIPS only for small implementations.

Correct Answer: AC

QUESTION 5

What CLI command configures IP-based access to restrict GUI and CLI access to a Cisco Email Security appliance's administrative interface?

- A. adminaccessconfig
- B. sshconfig
- C. sslconfig
- D. ipaccessconfig

Correct Answer: A



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.