



300-370^{Q&As}

Troubleshooting Cisco Wireless Enterprise Networks

Pass Cisco 300-370 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-370.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An engineer is troubleshooting why a MAC address was not listed in the MAC table and discovers that the VLAN was enabled only on the interface that data is coming in on. Which change fixes this problem?

- A. Enable outgoing interfaces.
- B. Disable sticky MAC on the access switch.
- C. Remove loop detection on interfaces.
- D. Flush the MAC address table.

Correct Answer: A

QUESTION 2

An engineer is troubleshooting a DHCP configuration that is being used to discover two WLCs with the IP addresses of 192.168.10.10 and 192.168.10.11. Which string is used for configuration?

- A. option 80 hex f108.c0a8.0a0a.c0a8.0a0b
- B. option 60 ip 192.168.10.10 192.168.10.11
- C. option 43 ip f108.c0a8.0a0a.c0a8.0a0b
- D. option 43 hex f108.c0a8.0a0a.c0a0b

Correct Answer: D

QUESTION 3

Which ports require unrestricted port access for CleanAir RF spectrum analysis between the AP and Cisco Spectrum Expert?

- A. UDP 5246 and 5247
- B. UDP 37540 and 37550
- C. TCP 16113 and 16114
- D. TCP 37540 and 37550
- E. TCP 5246 and 5247
- F. UDP 16113 and 16114

Correct Answer: D



QUESTION 4

Which three components are needed to identify the zone of impact for non-802.11 sources of 2.4 GHz and 5.0 GHz interference? (Choose three.)

- A. WLC
- B. MSE
- C. RF site survey tool
- D. Wi-Fi analyzer
- E. CleanAir AP
- F. spectrum analyzer

Correct Answer: CEF

QUESTION 5

An engineer is concerned about rogue-on-wire and wants to enable port security. Which guideline must the engineer follow?

- A. Configure Switched Port Analyzer destination ports as secure.
- B. Use 802.1x with port security to prevent MAC spoofing.
- C. Enable port security on dynamic access ports.
- D. Employ static MAC address configuration for APs with port security.

Correct Answer: A

[Latest 300-370 Dumps](#)

[300-370 Practice Test](#)

[300-370 Exam Questions](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.