



# 300-415<sup>Q&As</sup>

Implementing Cisco SD-WAN Solutions (ENSDWI)

**Pass Cisco 300-415 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-415.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which protocol is used to measure loss, latency, jitter, and liveliness of the tunnel between WAN Edge router peers?

- A. OMP
- B. NetFlow
- C. BFD
- D. IP SLA

Correct Answer: C

Reference: <https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2019/pdf/TECCRS-2014.pdf>

---

**QUESTION 2**

What problem happens on a device with two serial numbers, a unique device identifier (UDI), and secure unique device identifier (SUDI) when an engineer provisions ISR 4000 by PnP using only a UDI?

- A. It encounters spanning tree issues
- B. It faces interface buffer overflow patterns
- C. It encounters redirection problems.
- D. It encounters memory overload problems

Correct Answer: C

**QUESTION 3**

Which third-party Enterprise CA server must be used for a cloud-based vSmart controller?

- A. RootCert
- B. VeriSign
- C. Microsoft
- D. RADIUS

Correct Answer: A

Reference: <https://www.nerone.com/articles/cisco-sdwan-viptela-everything-you-wanted-to-know-about-certificates-deployment-but-were-afraid-to-ask>

---



#### QUESTION 4

Where on vManage does an engineer find the details of control node failure?

- A. Alarms
- B. Events
- C. Audit log
- D. Network

Correct Answer: A

[https://www.cisco.com/c/en/us/td/docs/routers/sdwan/vManage\\_How-Tos/vmanage-howto-book/m-troubleshooting.html](https://www.cisco.com/c/en/us/td/docs/routers/sdwan/vManage_How-Tos/vmanage-howto-book/m-troubleshooting.html)

---

#### QUESTION 5

What is a description of vManage NMS?

- A. It is accessible only from VPN 512 (the management VPN).
- B. A cluster requires device templates to be created on and attached to the same server
- C. It is a software process on a dedicated WAN Edge router in the network.
- D. A cluster consists of a minimum of two vManage NMSs

Correct Answer: B

<https://www.cisco.com/c/en/us/td/docs/routers/sdwan/configuration/optimization-ha/vedge/network-optimization-high-availability-book/high-availability.html>

[300-415 PDF Dumps](#)

[300-415 Study Guide](#)

[300-415 Exam Questions](#)