



300-415^{Q&As}

Implementing Cisco SD-WAN Solutions (ENSDWI)

Pass Cisco 300-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers







QUESTION 1

A network engineer must configure all branches to communicate with each other through the Service Chain Firewall located at the headquarters site.

Which configuration allows the engineer to accomplish this task?





A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

QUESTION 2

Which API call retrieves a list of all devices in the network?

A. https://vmanage_IP_address/dataservice/system/device/{{model}}

B. http://vmanage_IP_address/dataservice/system/device/{{model}}

C. http://vmanage_IP_address/api-call/system/device/{{model}}

D. https://vmanage_IP_address/api-call/system/device/{{model}}

Correct Answer: A

**QUESTION 3**

TUNNEL	
Tunnel Interface	<input type="radio"/> On <input checked="" type="radio"/> Off
Per-tunnel Qos	<input type="radio"/> On <input checked="" type="radio"/> Off
Per-tunnel QoS Aggregator	<input checked="" type="radio"/> On <input type="radio"/> Off

Refer to the exhibit.

A user has selected the options while configuring a VPN Interface Ethernet feature template.

What is the required configuration parameter the user must set in this template for this feature to function?

- A. The "IP MTU" field must be increased from the default value of 1500 to support the additional overhead.
- B. The "Shaping Rate (Kbps)" field must be configured with a value
- C. The "Adaptive QoS" field must be set to "on"
- D. The "Bandwidth Downstream" field must be configured with a value

Correct Answer: B

QUESTION 4

Which configuration step is taken on vManage after WAN Edge list is uploaded to support the on-boarding process before the device comes online?

- A. Verify the device certificate
- B. Enable the ZTP process
- C. Set the device as valid
- D. Send the list to controllers

Correct Answer: C

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/solutions/CVD/SDWAN/sd-wan-wan-edge-onboarding-deploy-guide-2020jan.pdf>



QUESTION 5

An organization wants to use the cisco SD-WAN regionalized service-chaining feature to optimize cost and user experience with application in the network, which allows branch routers to analyze and steer traffic toward the required network function.

Which feature meets this requirement?

- A. Cloud Services Platform
- B. VNF Service Chaning
- C. Cloud onRamp for Colocation
- D. Cloud onRamp for IaaS

Correct Answer: C

<https://www.cisco.com/c/dam/en/us/solutions/collateral/enterprise-networks/sd-wan/nb-06-cisco-sd-wan-ebook-cte-en.pdf>

The solution provides enterprises with multiple distributed branch offices that are clustered around major cities or spread over several countries the ability to regionalize the routing services in colocation facilities.

[300-415 Practice Test](#)

[300-415 Exam Questions](#)

[300-415 Braindumps](#)