



300-435^{Q&As}

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

Pass Cisco 300-435 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-435.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two API calls must be issued to attach a device template in Cisco SD-WAN? (Choose two.)

- A. "monitor device action status" GET API request with the device ID to display the status of the attach action
- B. "monitor device action status" GET API request with the process ID to display the status of the attach action
- C. PUT call to initiate the attach action
- D. POST call to initiate the attach action
- E. GET call to initiate the attach action

Correct Answer: BD

Reference: https://sdwan-docs.cisco.com/Product_Documentation/Command_Reference/Command_Reference/vManage_REST_APIs/Device_Configuration_APIs/Device_Templates

QUESTION 2

Which URI with the request body of Request body: {"name":"Test", "organizationId":, "type":"appliance"} creates a new Meraki network called "Test", when using APIs?

- A. PUT <https://api.meraki.com/api/v0/organizations//networks>
- B. POST <https://api.meraki.com/api/v0/networks>
- C. POST <https://api.meraki.com/api/v0/organizations//networks/>
- D. POST <https://api.meraki.com/api/v0/organizations//networks>

Correct Answer: D

Reference:
https://documentation.meraki.com/zGeneral_Administration/Other_Topics/The_Cisco_Meraki_Dashboard_API

QUESTION 3

“<https://vmanage-ip-address:8443/dataservice/template/policy/vsmart/activate/{policyId}>”

Refer to the exhibit. A Python script must be created to deactivate vSmart Policy Cisco SD-WAN vManage Configuration APIs. The documentation states the URL is as shown in the exhibit for this REST call using POST, and that "policyId" is a required request parameter. Which line of Python code makes this call, assuming the variable "s" is a valid Requests session object and the variable "policy-id" is the policyId?

- A. `s.port(' https://vmanage:8443/dataservice/template/policy/vsmart/activate?policyId=%s\ ' % policy_id)`
- B. `s.port(' https://vmanage:8443/dataservice/template/policy/vsmart/activate/%s\ ' % policy_id)`



C. s.port('https://vmanage:8443/dataservice/template/policy/vsmart/activateandpolicyId=%s\' % policy_id)

D. s.port('https://vmanage:8443/dataservice/template/policy/vsmart/activate/\', data = { 'policyId\\': policy_id})

Correct Answer: A

QUESTION 4

A network administrator must troubleshoot a network issue using Cisco DNA Center. Which API request helps to determine issue details, impacted hosts, or suggested actions for the resolution?

A. /dna/intent/v1/issues

B. /dna/intent/api/v1/issues

C. /dna/intent/v1/issue-enrichment-details

D. /dna/api/v1/client-health/issues

Correct Answer: B

The intent/api/v1/issues request determine issue details, hosts impacted and suggests actions for resolution.

QUESTION 5

FILL BLANK

Fill in the blank to complete the URL for the Cisco SD-WAN API that retrieves a list of users that are logged into a device.

http://<vmanage-ip-address>/dataservice/device/ deviceid=<deviceid>>

A. interface?

Correct Answer: A

Reference: https://sdwan-docs.cisco.com/Product_Documentation/Command_Reference/Command_Reference/vManage_REST_APIs/Real-Time_Monitoring_APIs/Interface

[300-435 PDF Dumps](#)

[300-435 Practice Test](#)

[300-435 Braindumps](#)