



300-435^{Q&As}

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

Pass Cisco 300-435 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-435.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

In which direction does the Cisco DNA Center Intent API communicate?

- A. westbound
- B. eastbound
- C. northbound
- D. southbound

Correct Answer: C

The Intent API is a Northbound REST API that exposes specific capabilities of the Cisco DNA Center platform. The Intent API provides policy-based abstraction of business intent, allowing focus on an outcome rather than struggling with individual mechanisms steps. The RESTful Cisco DNA Center Intent API uses HTTPS verbs (GET, POST, PUT, and DELETE) with JSON structures to discover and control the network.

Reference: <https://developer.cisco.com/docs/dna-center/#!cisco-dna-center-platform-overview/intent-api-northbound>

QUESTION 2

Which two API calls must be issued to attach a device template in Cisco SD-WAN? (Choose two.)

- A. "monitor device action status" GET API request with the device ID to display the status of the attach action
- B. "monitor device action status" GET API request with the process ID to display the status of the attach action
- C. PUT call to initiate the attach action
- D. POST call to initiate the attach action
- E. GET call to initiate the attach action

Correct Answer: BD

Reference: https://sdwan-docs.cisco.com/Product_Documentation/Command_Reference/Command_Reference/vManage_REST_APIs/Device_Configuration_APIs/Device_Templates

QUESTION 3

FILL BLANK

Fill in the blank to complete the URL for an API call to Cisco SD-WAN to display the history of the Bidirectional Forwarding Detection sessions that run on a vEdge router.

`https://<vmanage-ip-address>/dataservice/device/` **`deviceid=<deviceid>`**



A. bfd/synced/sessions?

Correct Answer: A

Reference: https://sdwan-docs.cisco.com/Product_Documentation/Command_Reference/Command_Reference/vManage_REST_APIs/Real-Time_Monitoring_APIs/BFD

QUESTION 4

Refer to the exhibit. NTP server 10.1.1.20 must be configured on the target Cisco IOS XE device without using authentication and logging. Which state should be added on a new line at the end of the Ansible task?

```
- name: configure ntp
  ios_ntp:
    server: 10.1.1.20
    logging: false
    auth: false
```

A. state: true

B. state: started

C. state: present

D. state: installed

Correct Answer: C

Reference: https://docs.ansible.com/ansible/2.10/collections/cisco/ios/ios_ntp_module.html

QUESTION 5

What is a capability of MV Sense MQTT API?

A. request and subscribe to historical, current, or real-time data

B. automate the configuration of networking devices

C. monitor the network and auto adjust for optimal performance

D. create email alerts for user that violate the security configuration

Correct Answer: A

Reference: <https://developer.cisco.com/meraki/mv-sense/#!/mv-sense-overview/introduction>