300-460^{Q&As}

300-460^{Q&As}

Implementing and Troubleshooting the Cisco Cloud Infrastructure

Pass Cisco 300-460 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/300-460.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which three operations can a cloud administrator perform when using the vSphere Client configuration tab? (Choose three.)

A. View the processor and memory configuration of the ESX host

B. Configure the host as NTP client

C. Configure datastore backups

D. Configure zoning

E. View target initiators and zones

F. Configure the primary/secondary DNS server

G. configure masking

Correct Answer: ABF

QUESTION 2

A Cisco UCSM administrator has been tasked with deploying a new data center. Which two recommendations aid in the ability to associate a service with a server? (Choose two.)

A. The host control setting for a QoS policy applies to vNICs only. It has no effect on a vHBA.

B. You can assign only a QoS policy to a vHBA if the priority setting for that policy is set to fc, which represents the Fibre Channel system class.

C. The host control setting for a QoS policy applies to vHBAs only.

D. Power capping is supported for rack servers. If you include a power control policy in a service profile that is associated with a rack-mount server, the policy is implemented.

Correct Answer: BD

QUESTION 3

Two companies want to integrate their storage infrastructure. Both companies use a single Cisco MDS 9513 Multilayer Director, but they use Fibre Channel storage arrays from different vendors. Physical connectivity between the two Cisco MDS 9513s is already in place. No common VSAN IDs exist between the two companies. Which option is most likely to achieve the goal?

A. Configure NPV.

B. Configure static FCIDs.

C. Change the storage arrays to the same vendor.

D. Enable FC-NAT.

E. Configure IVR.

Correct Answer: A

QUESTION 4

Which three boot policies can be created for Cisco UCS Manager in Cisco UCS Director? (Choose three.)

A. VLAN boot

B. UEFI secure boot

C. iSCSI boot

D. NFS boot

E. SAN boot

F. FCOE boot

Correct Answer: ACE

Reference: Various boot options are: SAN Boot LAN Boot Local Disk Boot Virtual Media Boot iSCSI Boot

QUESTION 5

Which option describes the purpose of system VLANs as used in a Cisco Nexus 1000V Switches?

A. is the equivalent of 802.1q tagging in the Cisco Nexus 1000V

B. enables interface connectivity before an interface is programmed via the control plane

C. allows the VSM to send opaque data to all hosts under management

D. supplements pVLAN functionality in a virtualized environment

Correct Answer: C

Latest 300-460 Dumps   300-460 VCE Dumps   300-460 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: