

300-515^{Q&As}

Implementing Cisco Service Provider VPN Services (SVPI)

Pass Cisco 300-515 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/300-515.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

PE1	PE2
ip vrf CE1 rd 111:1 route-target export 100:1 route-target import 200:2	ip vrf CE2 rd 112 :2 route-target export 200:2 route-target import 100:1 route-target import 300:3
PE3 ip vrf Internet rd 333:3 route-target export 300:3 route-target import 100:1 route-target import 200:2	

Refer to the exhibit. PE1 and PE2 are exchanging VPNv4 routes for CE1 and CE2, and PE3 contains the default route to the internet. If the three devices are operating normally, which two conclusions describe this configuration? (Choose two.)

- A. The CE1 and CE2 VRFs can exchange routes only between their respective VRFs on PE1 and PE2.
- B. All three routers must be running a distance-vector routing protocol.
- C. All three routers must be running MP-BGP.
- D. The CE1 and CE2 VRFs can access the default route provided by the Internet VRF.
- E. Only the CE2 VRF can access the default route provided by the Internet VRF.

Correct Answer: AC

QUESTION 2

https://www.pass4itsure.com/300-515.html

2024 Latest pass4itsure 300-515 PDF and VCE dumps Download

PE1	PE2
ip vrf CE1	ip vrf CE2
rd 101:1	rd 202:2
route-target export 100:1	route-target export 200:2
route-target import 200:2	route-target import 100:1
PE3	PE4
ip vrf CE3	ip vrf CE4
rd 303:3	rd 404:4
route-target export 300:3	route-target export 400:4
route-target import 400:4	route-target import 300:3

Refer to the exhibit. A network engineer has been called to configure the four PE devices in order to enable full communication among the four CE devices connected to them. While starting to configure, he experienced a connectivity issue. Which two tasks should the engineer perform in order to begin the process correctly? (Choose two.)

- A. Configure PE3 to export route-targets 100:1 and 200:2.
- B. Configure PE3 to import route-targets 100:1 and 200:2.
- C. Configure PE4 to import route-targets 101:1 and 202:2.
- D. Configure PE2 to export route-targets 300:3 and 400:4.
- E. Configure PE1 to import route-targets 300:3 and 400:4.

Correct Answer: AB

QUESTION 3

Which statement describes the no bgp default route-target filter command?

- A. Prefixes that are received with route targets and distinguisher are accepted.
- B. Prefixes that are received with route targets and distinguisher are not accepted.
- C. Prefixes that are received with route targets that are not imported at the PE are not accepted.
- D. Prefixes that are received with route targets that are not imported at the PE are accepted.

Correct Answer: D

QUESTION 4

Which mechanism reduces the network flooding caused by host ARP learning behavior?

A. ARP suppression



https://www.pass4itsure.com/300-515.html

2024 Latest pass4itsure 300-515 PDF and VCE dumps Download

- B. storm control
- C. root guard
- D. BPDU guard

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/products/collateral/switches/nexus-7000-series-switches/white-paper-c11-735015.html

QUESTION 5

In an Ethernet Virtual Circuit environment, which restriction do bridge domains have when STP is running?

- A. The STP mode must be RSTP or PVST+
- B. Bridge domains must be mapped to a different VLAN.
- C. The STP mode must be MSTP
- D. Bridge domains must belong to different MST instances.

Correct Answer: C

 $Reference: https://www.cisco.com/c/en/us/td/docs/routers/asr920/configuration/guide/ce/b_ce_xe-313s-asr920-book/b_ce_xe-313s-asr920-book_chapter_01.html\#reference_770349446ED24E83821EF701DDC46BFD$

Latest 300-515 Dumps

300-515 VCE Dumps

300-515 Practice Test