



300-535^{Q&As}

Automating and Programming Cisco Service Provider Solutions
(SPAUTO)

Pass Cisco 300-535 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-535.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which data format should be used to serialize structured data in the most compact way?

- A. protobufs
- B. YAML
- C. JSON
- D. XML

Correct Answer: B

Reference: <https://www.sitepoint.com/data-serialization-comparison-json-yaml-bson-messagepack/>

QUESTION 2

```
"request": {  
  "url": "http://{{server}}:{{port}}/restconf/data/l3vpn:vpn/l3vpn=test",  
  "method": "POST",  
<snip>
```

Refer to the exhibit. What are the two outcomes when the RESTCONF POST code is implemented? (Choose two.)

- A. A new VPN endpoint to a VPN is added.
- B. An L3VPN endpoint to a VPN is replaced.
- C. An L3VPN endpoint to a VPN is merged.
- D. A new L3VPN endpoint to a VPN is added.
- E. An L3VPN endpoint to a VPN is updated.

Correct Answer: DE

QUESTION 3**DRAG DROP**

Drag and drop the components of Cisco Network Services Orchestrator from the left onto the correct definitions on the right.

Select and Place:



Network Element Drivers	manages installation of NED packages and service packages
Configuration Database	provides full support for any service change, including arbitrary modifications in real time
Device Manager	communicates directly with network devices using their native device management protocols
Package Manager	manages tasks such as pulling current running configurations from devices
Service Manager	contains the NSO view of the complete network configuration

Correct Answer:

	Package Manager
	Service Manager
	Network Element Drivers
	Device Manager
	Configuration Database

QUESTION 4

Which command configures the remote peer when the Cisco IOS XR Traffic Controller is used?

- A. peer-sync ipv4 192.168.0.3
- B. state ipv4 192.168.0.3
- C. peer ipv4 192.168.0.3
- D. state-sync ipv4 192.168.0.3

Correct Answer: D



Reference: https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r6-2/segment-routing/configuration/guide/b-segment-routing-cg-asr9000-62x/b-seg-routing-cg-asr9000-62x_chapter_01001.html

QUESTION 5

What is a key feature of YANG?

- A. use identification
- B. error prediction
- C. JAVA compatibility
- D. reusable types and groupings

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/optical/ncs1000/60x/b_Datamodels_cg_ncs1000/b_Datamodels_cg_ncs1000_chapter_00.html

[300-535 VCE Dumps](#)

[300-535 Study Guide](#)

[300-535 Braindumps](#)