



300-730^{Q&As}

Implementing Secure Solutions with Virtual Private Networks (SVPN)

Pass Cisco 300-730 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-730.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What are two advantages of using GETVPN to traverse over the network between corporate offices? (Choose two.)

- A. It has unique session keys for improved security.
- B. It supports multicast.
- C. It has QoS support.
- D. It is a highly scalable any to any mesh topology.
- E. It supports a hub-and-spoke topology.

Correct Answer: BD

QUESTION 2

Which two protocols does DMVPN leverage to build dynamic VPNs to multiple destinations? (Choose two.)

- A. IKEv2
- B. NHRP
- C. mGRE
- D. mBGP
- E. GDOI

Correct Answer: BC

QUESTION 3

A network administrator wants the Cisco ASA to automatically start downloading the Cisco AnyConnect client without prompting the user to select between WebVPN or AnyConnect. Which command accomplishes this task?

- A. anyconnect ssl df-bit-ignore enable
- B. anyconnect ask none default anyconnect
- C. anyconnect ask enable default anyconnect
- D. anyconnect modules value default

Correct Answer: C

Reference: <https://www.cisco.com/c/en/us/td/docs/security/asa/asa98/configuration/vpn/asa-98-vpn-config/vpn-anyconnect.html>



QUESTION 4

An administrator must guarantee that remote access users are able to reach printers on their local LAN after a VPN session is established to the headquarters. All other traffic should be sent over the tunnel. Which split-tunnel policy reduces the configuration on the ASA headend?

- A. include specified
- B. exclude specified
- C. tunnel specified
- D. dynamic exclude

Correct Answer: B

QUESTION 5

Which feature allows a DMVPN Phase 3 spoke to switch to an alternate hub when the primary hub is unreachable?

- A. multicast PIM
- B. backup NHS
- C. per-tunnel jitter probes
- D. NHRP shortcut

Correct Answer: B

[Latest 300-730 Dumps](#)

[300-730 Practice Test](#)

[300-730 Study Guide](#)