



300-810^{Q&As}

Implementing Cisco Collaboration Applications (CLICA)

Pass Cisco 300-810 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-810.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

To redirect calls from the phone extension for user A to the voicemail greeting, which call routing rule should be used in Cisco Unity Connection?

- A. Attempt Forward forwarded routing rule
- B. Opening Greeting direct routing rule
- C. Attempt Sign-In direct routing rule
- D. Opening Greeting forwarded routing rule

Correct Answer: A

Reference: <https://community.cisco.com/t5/collaboration-voice-and-video/unity-connection-call-routing-logic/tap/3162560>

QUESTION 2

Which two authentication methods does Integrated Windows Authentication use to validate Windows credentials? (Choose two.)

- A. NTLM
- B. Digest Authentication
- C. SAML
- D. Kerberos
- E. Smart Card

Correct Answer: CD

QUESTION 3

An administrator is configuring Cisco Unity Express and is using the default Auto-Attendant script, aa aef Which script parameter prevents the script from transferring callers to external numbers?

- A. allowExternal Transfers
- B. disallowExternalTransfers
- C. disableExternalTransfers
- D. disableToli Fraud


Correct Answer: A

**QUESTION 4**

Refer to the exhibit

A collaboration engineer is troubleshooting a Cisco Jabber for Windows client issue. The end user reports that they cannot control their Cisco 8845 IP Phone from the Cisco Jabber client.

Which configuration addition to the end user profile resolves the issue?



- A. "Standard CTI allows control of phones supporting rollover mode" and the "Standard CTI Enabled" group.
- B. "Standard CTI allows control of phones supporting connected Xfer and conf" and the "Standard CTI Enabled" group.
- C. "Standard CTI allows control of all devices" and the "Standard CTI Enabled" group.
- D. "Standard CTI secure connection" and the "Standard CTI Enabled" group.

Correct Answer: B

QUESTION 5

Refer to the exhibit.



Voice Mail Port Information

Voice Mail Pilot Number: 4000 (input: 4000)
Calling Search Space: < None > (dropdown: < None >)
Description: Default (input: Default)
 Make this the default Voice Mail Pilot for the system

Hunt Pilot Configuration

Status
Status: Ready

Pattern Definition
 Hunt Pilot*: 4000
 Route Partition: INTERNAL_PT
 Description: Hunt pilot for CUC

Call Forward and Call Pickup Settings

	Voice Mail	Destination	Calling Search Space
Calling Search Space Activation Policy			Use System Default
Forward All	<input checked="" type="checkbox"/> or	4000	< None >

Cisco Unity Connection and Cisco Unified Communications Manager are integrated by using SCCP. The Voice Mail Ports are registered. Users report that calls fail when forwarded to voicemail. Which is a cause of the issue?

- A. The call forward and call pickup settings do not have a CSS on Forward All.
- B. The Voice Mail Port partition on the CSS of the phone is missing.
- C. The Voice Mail Pilot is not configured with a CSS that contains the INTERNAL_PT.
- D. The CSS on the Voice Mail Pilot is missing partitions for user phones.

Correct Answer: C

[300-810 PDF Dumps](#)

[300-810 Study Guide](#)

[300-810 Exam Questions](#)