

# 300-815<sup>Q&As</sup>

Implementing Cisco Advanced Call Control and Mobility Services (CLACCM)

## Pass Cisco 300-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/300-815.html

### 100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

- 100% Money Back Guarantee
- 😳 365 Days Free Update
- 800,000+ Satisfied Customers






#### **QUESTION 1**

A network engineer designs a new dial plan and wants to block a certain range of numbers (8135100 through 8135105). Which route pattern should be configured to block only the numbers in this range?

- A. 813510[012345]
- B. 813510[12345]
- C. 813510[^0-5] D. 81XXXXX

Correct Answer: A

#### **QUESTION 2**



Refer to the exhibit. A company is using Microsoft Teams with Cisco Unified Border Element integration, but the administrator sees a one-way audio issue with Microsoft Teams. The administrator must modify the SIP profile to send the proper information on the SDP for IP address for media to match the internal and external interface. Which set of commands resolves the issue?

A. voice class sip-profiles 1 request INVITE sdp-header Connection-Info modify "2\.76\.1" "2.78.1"

- B. voice class sip-profiles 1 request INVITE sdp-header Session-Owner modify "27\.0\.0" "27.3.0"
- C. voice class sip-profiles 1 request INVITE sdp-header Connection add "2\.76\.1" "2.78.1"
- D. voice class sip-profiles 1 request INVITE sdp-header Audio-Attribute modify "2\.76\.1" "2.71.1"

Correct Answer: C



#### **QUESTION 3**

A user reports that when they attempt to log out from the Cisco Extension Mobility service by pressing the services button, they cannot log out. What is cause of this issue?

A. The Cisco Extension Mobility service has not been configured on the phone.

B. Network latency should be checked since there might be a significant delay between the button being pressed and it being recognized by the Cisco Extension Mobility service.

C. The user device profile has not been assigned to the user.

D. The user device profile is not subscribed to the Cisco Extension Mobility service.

Correct Answer: D

#### **QUESTION 4**

If all patterns below are configured in Cisco Unified Communications Manager which would be used when dialing the pattern "123"?

A. 12!

- B. 12X (urgent priority set)
- C. 1XX (urgent Priority Set)

D. 12[2-5]

Correct Answer: D

#### **QUESTION 5**

A new solution is configured to support internal, local, and international calling. Calling [+44 1111 1111] from one of the registered internal phones does not work. Local and internal calls seem to work without any problems. The configuration has patterns configured to match the failing dialed number [+44 .....]. The other configured patterns show [2...] for internal numbers and [555 ...] for local numbers. International numbers use E.164 as recommended. What is missing to make this solution work?

A. 001 or 00 must be used instead of the + sign on Cisco UCM

- B. =+ cannot be used in a route pattern, only in a SIP pattern
- C. \ in front of the +
- D. / in front of the +

Correct Answer: C



Latest 300-815 Dumps

300-815 PDF Dumps

300-815 Exam Questions