



300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices
(DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-920.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

```
xcommand UserInterface Extensions List
OK
*r ExtensionsListResult (status=OK):
*r ExtensionsListResult Extensions Version: "1.5"
*r ExtensionsListResult Extensions Panel 1 Icon: Lightbulb
*r ExtensionsListResult Extensions Panel 1 Type: Statusbar
*r ExtensionsListResult Extensions Panel 1 Name: Panel
*r ExtensionsListResult Extensions Panel 1 PanelId: "panel_1"
*r ExtensionsListResult Extensions Panel 1 Order: 1
*r ExtensionsListResult Extensions Panel 1 Page 1 Name: "Page"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Name: "Row"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 WidgetId: "widget_1"
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Type: Slider
*r ExtensionsListResult Extensions Panel 1 Page 1 Row 1 Widget 1 Options: "size=3"
** end
--
```

Refer to the exhibit. With this in-room configuration, which command successfully sets the slider to 50?

- A. xcommand UserInterface Extensions Widget SetSlider Value: 50
- B. xcommand UserInterface Extensions Widget Slider: 50 Widget: "widget_1"
- C. xconfiguration UserInterface Extensions widget_1 50
- D. xcommand UserInterface Extensions Widget SetValue WidgetId: "widget_1" Value: 50

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf>

QUESTION 2



```
1 const webex = windows.webex = Webex.init();
2
3 webex.once('ready', () => {
4   const jwt = document.getElementById('context').value;
5
6   webex.authorization.requestAccessTokenFromJwt({ jwt })
7     .then(() => {
8       if (webex.canAuthorize) {
9         alert('Authenticated!');
10      }
11    })
12    .catch((err) => {
13      alert('Authentication.error:' + err);
14    });
15});
```

Refer to the exhibit. On line 4, the script retrieves a context from a DOM element that was generated from a server-side component. How does that server-side component obtain the value for the `context` element?

- A. by opening a dialog asking the end-user to paste his personal access token
- B. by completing an authorization code grant flow using the identifier and secret of an OAuth integration
- C. by embedding the access token of a Bot account
- D. by creating a guest token using the identifier and secret of a Guest Issuer application

Correct Answer: B

QUESTION 3

DRAG DROP

Drag and drop the code snippets onto the exhibit to create a valid Webex Meetings API request allowing Jane (an admin) to reset John's PMR pin. Not all options are used.

Select and Place:



```
<?xml version="1.0" encoding="UTF-8"?>
<serv:message xmlns:serv= "http://www.webex.com/schemas/2002/06/service "
  xmlns:xsi= "http://www.w3.org/2001/XMLSchema-instance">
  <header>
    <securityContext>
      <siteName>apidemoeu</siteName>

      <webExID> [redacted] </webExID>
      [redacted]
    </securityContext>
  </header>
  <body>
    <bodyContent xsi :type= "java:com.webex.xmlapi.service.binding.user.
      [redacted] ">
      <webExID> [redacted] </webExID>
      <personalMeetingRoom>
        <hostPIN>1337</hostPIN>
      </personalMeetingRoom>
    </bodyContent>
  </body>
</serv:message>
```

-
-
-
-
-
-

Correct Answer:



```

<?xml version="1.0" encoding="UTF-8"?>
<serv:message xmlns:serv= "http://www.webex.com/schemas/2002/06/service »
  xmlns:xsi= "http://www.w3.org/2001/XMLSchema-instance">
  <header>
    <securityContext>
      <siteName>apidemoeu</siteName>

      <webExID> johndoe </webExID>

      <SetUser

    </securityContext>
  </header>
  <body>
    <bodyContent xsi :type= "java:com.webex.xmlapi.service.binding.user.
      <token>AAABb5HuHWUAABUY</token> ">

      <webExID> UpdateUser </webExID>

      <personalMeetingRoom>
        <hostPIN>1337</hostPIN>
      </personalMeetingRoom>
    </bodyContent>
  </body>
</serv:message>

```

janedoe

<sessionTicket>AAABb5HuHWUAABUY</sessionTicket>

QUESTION 4

DRAG DROP

Drag and drop the code to create a valid Guest Issuer JWT token to use with the Webex Teams Browser SDK. Not all options are used.

Select and Place:



```
const jwt = require('jsonwebtoken')
let token = jwt.sign(
  {
    'sub': ,
    'name': ,
    'iss': ,
  },
  Buffer.from(, 'base64'),
  { expiresIn:  }
);
```

- | | |
|------------------------------|--------------------------------|
| 'Time span or seconds count' | 'Guest Application Identifier' |
| 'User Display Name' | 'Guest User Key' |
| 'Guest Application Secret' | 'User Identifier' |

Correct Answer:



```
const jwt = require('jsonwebtoken')
let token = jwt.sign(
  {
    'sub': 'User Identifier',
    'name': 'User Display Name',
    'iss': 'Guest Application Identifier',
  },
  Buffer.from('Guest Application Secret', 'base64'),
  { expiresIn: 'Time span or seconds count' }
);
```

```
'Guest User Key'
```

Reference: <https://developer.webex.com/docs/guest-issuer>

QUESTION 5



```
1  const jsxapi = require('jsxapi');
2  const speaker = require('./speaker')
3  const xapi = jsxapi.connect('ssh://10.131.202.230', {
4      username: 'admin',
5      password: ''
6  });
7  let state = 0
8  function toggle(state) {
9      if (state === 0) {return 1}
10     else {return 0}
11 }
12 xapi.on('ready', () => {
13     xapi.event
14     .on('...', (x) => {
15         if (x.PanelId === 'panel_1') {
16             state = toggle(state)
17             if (state === 1) {
18                 speaker.control({"on": true});
19             } else {
20                 speaker.control({"on": false})
21             }
22         }
23     })
24 });
```

Refer to the exhibit. An `Action Button` with identifier `panel_1` is deployed to the Touch10 interface of a Room Series device. Which event must be inserted into line 14 to turn the music on/off in the conference room?

- A. UserInterface Extensions Event Pressed
- B. UserInterface Extensions Panel Clicked
- C. UserInterface Extensions Widget GetValue
- D. UserInterface Extensions Widget Action

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce81/sx-mx-in-room-control-guide-ce81.pdf>