



# 300-920<sup>Q&As</sup>

Developing Applications for Cisco Webex and Webex Devices  
(DEVWBX)

## Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/300-920.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Which element is needed to build a Web application that authenticates Webex users and can post messages under the user's identity?

- A. OAuth integration configured with the `messages\_write` scope
- B. bot access token
- C. Guest Issuer application
- D. self-signed certificate that is created from a public authority

Correct Answer: A

Reference: <https://developer.webex.com/blog/real-world-walkthrough-of-building-an-oauth-webex-integration>

---

### QUESTION 2

DRAG DROP



### Create a Membership

Add someone to a room by Person ID or email address; optionally making them a moderator.

**POST** /v1/memberships

Body Parameters

**roomId**  
string **Required**

The room ID.

**personID**  
string

The person ID.

**personEmail**  
string

The email address of the person

**isModerator**  
boolean

Whether or not the participant is a room moderator

Refer to the exhibit. Drag and drop the code on the snippet to add the user with email "alice@example.com" as moderator of the space with the identifier "987654321".

Select and Place:

```
curl -s -X [ ] "https://api.ciscospark.com/v1/[ ]" \
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1eb65fdf-ad72cae0e10f" \
-H "Content-Type: application/json" \
-d "raw '{ [ ] : \"987654321\", [ ] : \"alice@example.com\", \"isModerator\": [ ] }'"
```

- personEmail
- true
- POST
- memberships
- roomId



Correct Answer:

```
curl -s -X  "https://api.ciscospark.com/v1/ \  
-H "Authorization: Bearer MDMYzTM1YTA_Pf84_1eb65fdf-ad72cae0e10f\  
-H "Content-Type: application/json\  
-data-raw '{"": "987654321", "": "alice@example.com", "": '}'
```

### QUESTION 3

DRAG DROP Refer to the exhibit. A training coordinator must post links to Webex recordings on a company SharePoint site. This is usually a manual process, but a DevOps engineer wants to automate it using Webex XML APIs. After a successful LstRecording call wrapped in xml2js, the 'console dir(result)' output is shown in the exhibit. Using 'dot notation', drag and drop the code below onto the code snippet to output the streamURL for each recording.



```
{messages
  {"$":
    {'xmlns:serv': 'http://www.webex.com/schemas/2002/06/service',
     'xmlns:com': 'http://www.webex.com/schemas/2002/06/common',
     'xmlns:ep': 'http://www.webex.com/schemas/2002/06/service/ep',
     'xmlns:meet': 'http://www.webex.com/schemas/2002/06/service/meeting' },
    header: { response: { result: 'SUCCESS', gsbStatus: 'PRIMARY' } },
    body:
      { bodyContent:
        {'$':
          {'xsi:type': 'eplstRecordingResponse',
           'xmlns:xsi': 'http://www.w3.org/2001/XMLSchema-instance'},
          matchingRecords: {total: '2', returned: '2', startFrom: '1'},
          recording:
            [{ recordingID: '90812441',
              hostWebExID: 'jlev@cdpneighbors.com',
              name: "Jeff Levesailor's Personal Room-20190711 1154-1",
              createTime: '07/11/2019 08:06:27',
              timeZoneID: '11',
              size: '0.017041206',
              streamURL: 'https://cdp.webex.com/wr/ldr.php?RCID=e7eba83fadfec6f5abd98637407499f7',
              fileURL: 'https://cdp.webex.com/wr/lr.php?RCID=dc37fb81c5ba41e42db43247ac95b7e8',
              recordingType: '5',
              duration: '9',
              format: 'MP4',
              serviceType: 'MeetingCenter',
              password: '4Mt3J3r4',
              passwordReq: 'true',
              confID: '133167544940915779',
              shareToMe: 'false' },
              recordingID: '90812244',
              hostWebExID: 'jlev@cdpneighbors.com',
              name: "Jeff Levensailor's Personal Room-20190711 1156-2",
              createTime: '07/11/2019 08:06:26',
              timeZoneID: '11',
              size: '0.01679802',
              streamURL: 'https://cdp.webex.com/wr/ldr.php?RCID=caf77cc9a8f564daeb06c6747c6eda01',
              fileURL: 'https://cdp.webex.com/wr/lr.php?RCID=9a016ae489fe94af45b474c010047a81',
              recordingType: '5',
              duration: '6',
              format: 'MP4',
              serviceType: 'MeetingCenter',
              password: 'vHJpXCr4',
              passwordReq: 'true',
              confID: '133167544940915779',
              shareToMe: 'false' } ] ] ] ] }
```

Select and Place:



```
'recordings = result ({ [ ] }) ({ [ ] }) ({ [ ] }) ({ [ ] })  
for (i=0, i<recordings length, i++){Console.log(recordings[i] ({ [ ] })))'
```

body

recording

bodyContent

message

streamURL

Correct Answer:

```
'recordings = result ({ body }) ({ bodyContent }) ({ streamURL }) ({ message })  
for (i=0, i<recordings length, i++){Console.log(recordings[i] ({ recording })))'
```

#### QUESTION 4



```
1  const jsxapi = require('jsxapi');
2  const speaker = require('./speaker')
3  const xapi = jsxapi.connect('ssh://10.131.202.230', {
4      username: 'admin',
5      password: ''
6  });
7  let state = 0
8  function toggle(state) {
9      if (state === 0) {return 1}
10     else {return 0}
11 }
12 xapi.on('ready', () => {
13     xapi.event
14     .on('...', (x) => {
15         if (x.PanelId === 'panel_1') {
16             state = toggle(state)
17             if (state === 1) {
18                 speaker.control({"on": true});
19             } else {
20                 speaker.control({"on": false})
21             }
22         }
23     })
24 });
```

Refer to the exhibit. An `Action Button` with identifier `panel\_1` is deployed to the Touch10 interface of a Room Series device. Which event must be inserted into line 14 to turn the music on/off in the conference room?

- A. UserInterface Extensions Event Pressed
- B. UserInterface Extensions Panel Clicked
- C. UserInterface Extensions Widget GetValue
- D. UserInterface Extensions Widget Action

Correct Answer: A

Reference: <https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce81/sx-mx-in-room-control-guide-ce81.pdf>

## QUESTION 5



```
{
  "message": "The user has sent too many requests in a given amount of time. Please refer to the
Retry-After response header to wait before making a new request.",
  "errors": [
    {
      "description" : "The user has sent too many requests in a given amount of time. Please
refer to the Retry-After response header to wait before making a new request."
    }
  ],
  "trackingId": "ROUTER_5D224C5A-C32B-01BE-007E-2D30B4D4007E"
}
```

Refer to the exhibit. What is the Webex Teams REST API HTTP response status code, based on this code snippet?

- A. 401
- B. 403
- C. 429
- D. 501

Correct Answer: C

Reference: <https://developer.webex.com/docs/api/v1/messages/get-message-details>

[300-920 VCE Dumps](#)

[300-920 Exam Questions](#)

[300-920 Brindumps](#)