301A^{Q&As}

BIG-IP LTM Specialist: Architect, Set up, Deploy

Pass F5 301A Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/301a.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/301a.html

2024 Latest pass4itsure 301A PDF and VCE dumps Download

QUESTION 1

A web server\\'s default gateway is the network router. The LTM Specialist needs to introduce an LTM device to load balance to the web servers without changing the server\\'s default gateway. Which deployment method and settings should the LTM Specialist use to ensure correct traffic flow and that the web servers can obtain the actual con IP addresses?

- A. route deployment with Automap configured and X-Forwarded-For inserted in HTTP headers
- B. route deployment without SNAT configuration
- C. SNAT deployment with automap configured and X-Forwarded-For inserted in HTTP headers
- D. SNAT deployment with automap configured

Correct Answer: C

QUESTION 2

Six servers have a varying number of connections that change based on the user load. Which load balancing method should an LTM Specialist apply to divided the web application traffic to the servers on the relative performance trend?

- A. Least Sessions
- **B.** Least Connections
- C. Predictive
- D. Ratio

Correct Answer: C

QUESTION 3

Two LTM devices must be manually configured to restrict in the same Device Group. What is the correct order of steps to meet this requirement?

- A. Configure VLAN, Configure-Sync IP, Configure Failover type, Establish Device Trust, Sync Device Trust, Create type, Establish Device Sync Device Trust, Create Device Group.
- B. Configure VLAN, Configure Self-IPs, Configure Config-Sync IP. Configure Failover type, Establish Device Trust, Sync Device Trust, Create Device Group.
- C. Configure Self-IPs, Configure VLAN, Configure Config-Sync IP. Configure Failover type, Establish Device Trust, Sync Device Trust, Create Device Group
- D. Configure VLAN, Configure Config-Sync IP. Configure Self-IPs. Configure Failover type. Establish Device Trust, Create Device Group

Correct Answer: B

https://www.pass4itsure.com/301a.html

2024 Latest pass4itsure 301A PDF and VCE dumps Download

QUESTION 4

An LTM specialist needs to upgrade a VCMP quest in an HA Setup with minimum interruption for all VCMP guest instances.

In which should the LTM Specialist perform this upgrade?

- A. Relicense the host. Failover all guest\\'s active traffic-groups to the other host, copy image to gest, create guest UCS install and set boot location to new volume, reboot
- B. Failover this specific guest\\'s active traffic-group to the other Host, Relicense the guest, copy image to guest , create guest UCS, install and set boot location to new volume, reboot
- C. Failover all guests\\' active traffic-group to the other Host, Relicense the host, copy image to guest, create guest UCS, install and set boot location to new volume, reboot
- D. Failover all guests\\' active traffic-group to the other host, copy image to guest, create guest UCS install and set boot location to new volume, reboot, Relicense the host

Correct Answer: C


Switch guest, reactive, license first and then upgrade.

QUESTION 5

Refer to the exhibit.

https://www.pass4itsure.com/301a.html

2024 Latest pass4itsure 301A PDF and VCE dumps Download



The http monitor is applied to a pool. All members are enabled. One server responds as follows.



What is the resulting status of this poo! member?

- A. Offline (Disabled)
- B. Offline (Enabled)
- C. Unavailable (Disabled)



https://www.pass4itsure.com/301a.html

2024 Latest pass4itsure 301A PDF and VCE dumps Download

D. Available (Enabled)

Correct Answer: B

The first picture "Send String" and "Receive String" are not clear. Send String should be "GOOD", the response packet does not contain this keyword. Receive Disable String is completely unclear. If the response packet contains the content of Receive Disable String at this time, it will be Available (Disabled), If the content of Receive Disable String is not included, then Offline (Enabled).

301A PDF Dumps

301A Practice Test

301A Braindumps