



# 301A<sup>Q&As</sup>

BIG-IP LTM Specialist: Architect, Set up, Deploy

## Pass F5 301A Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/301a.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

An LTM Specialist is configuring a virtual server with an IP address. Which configuration is unsupported?


- A. Performance 14 virtual server with an HTTP profile
- B. Standard virtual server with an HTTP profile
- C. Performance 14 virtual server with a FastHTTP profile
- D. Standard virtual server with a TCP profile

Correct Answer: A

---

**QUESTION 2**

Exhibit.



The server team has recently configured the three new DNS servers shown for the data center. No current DNS servers are currently configured on the LTM device. Which command should be used to configure the LTM device to use the new DNS servers?

- A. `tmsh create/sysdns name-servers add {192.168.1.2.192.168.100.100.192.168.200.200}`
- B. `tmsh change /sysdns name-servers add {192.168.1.2.192.168.100.100.192.168.200.200}`
- C. `tmsh modify/sysdns name-servers add {192.168.1.2.192.168.100.100.192.168.200.200}`
- D. `tmsh set/sysdns name-servers add {192.168.2.192.168.100.100.192.168.200.200}`

Correct Answer: C

Modify the configuration with modify, and create the configuration with create. Excluding B and D, and the question is to modify the DNS pointer of E5 itself the need to use is modify.

---

**QUESTION 3**

What should the LTM Specialist add to the virtual server?



- A. one Stream profile and an iRule with the command of STREAM expression (@http:// @https:// @@internalapp@publicapp@)
- B. two Stream profiles and an iRule with the command of STREAM expression (@http:// @https:// @@internalapp@publicapp@)
- C. one Stream profile with the expression of @http:// @https:// @
- D. Two Stream profiles, one profile for each rewrite requirement

Correct Answer: A

---

#### QUESTION 4

AN LTM Specialist is using an external monitor evaluate the hard drive usage of a node. The monitor has marked the node down because it exceeded the specific threshold. The disk usage on the server has been corrected below the threshold, however, the node remains offline.

Which feature is causing this problem?

- A. The parameter Time Until UP has a value greater than 0
- B. The value of Manual Resume is set to No
- C. The value for UP interval is enable with a value greater than 0
- D. The value for Manual Resume is set to Yes

Correct Answer: D

---

#### QUESTION 5

A design requires the LTM device to become HA standby when the one of the two physical interface on the External trunk is down the External trunk is an interface on the External VLAN Which TMOS command enables this behavior?

- A. tmsh modify net van External failsafe enabled
- B. tmsh create sys ha-group External trunks add Externally
- C. tmsh create sys ha-group External trunks add External threshold 2 weight 101)
- D. tmsh create sys ha-group External trunks add ( External( attribute percent up-members 100))

Correct Answer: C

---



VCE & PDF

Pass4itSure.com

<https://www.pass4itsure.com/301a.html>

2024 Latest pass4itsure 301A PDF and VCE dumps Download

---

[301A PDF Dumps](#)

[301A VCE Dumps](#)

[301A Study Guide](#)