



301B^{Q&As}

BIG-IP Local Traffic Manager (LTM) Specialist: Maintain & Troubleshoot

Pass F5 301B Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/301b.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An LTM Specialist is customizing local traffic logging.

Which traffic management OS alert level provides the most detail?

- A. Alert
- B. Notice
- C. Critical
- D. Emergency
- E. Informational

Correct Answer: E

QUESTION 2

An application is configured on an LTM device:

Virtual server: 10.0.0.1:80 (VLAN vlan301)

SNAT IP: 10.0.0.1

Pool members: 10.0.1.1:8080, 10.0.1.2:8080, 10.0.1.3:8080 (VLAN vlan302)

Which packet capture should the LTM Specialist perform on the LTM device command line interface to capture only client traffic specifically for this virtual server?

- A. `tcpdump -ni 0.0:nnn -s 0 \\'host 10.0.0.1\\' -w /var/tmp/trace.cap`
- B. `tcpdump -ni vlan301 -s 0 \\'port 80 and host 10.0.0.1\\' -w /var/tmp/trace.cap`
- C. `tcpdump -ni vlan301 -s 0 \\'port 8080 and host 10.0.1.1 or host 10.0.1.2 or host 10.0.1.3\\' -w /var/tmp/trace.cap`
- D. `tcpdump -ni vlan302 -s 0 \\'port 8080 and host 10.0.1.1 or host 10.0.1.2 or host 10.0.1.3\\' -w /var/tmp/trace.cap`
- E. `tcpdump -ni 0.0:nnn -s 0 \\'(port 80 and host 10.0.0.1) or (port 8080 and host 10.0.1.1 or host 10.0.1.2 or host 10.0.1.3)\\' -w /var/tmp/trace.cap`

Correct Answer: B

QUESTION 3

Which two alerting capabilities can be enabled from within an application visibility reporting (AVR) analytics profile? (Choose two.)



- A. sFlow
- B. SNMP
- C. e-mail
- D. LCD panel alert
- E. high speed logging (HSL)

Correct Answer: BC

QUESTION 4

Which two items can be logged by the Application Visibility Reporting analytics profile? (Choose two.)

- A. User Agent
- B. HTTP version
- C. HTTP Response Codes
- D. Per Virtual Server CPU Utilization

Correct Answer: AC

QUESTION 5

Which two subsystems could the LTM Specialist utilize to access an LTM device with lost management interface connectivity? (Choose two.)

- A. AOM
- B. ILO
- C. SCCP
- D. ALOM

Correct Answer: AC

[Latest 301B Dumps](#)

[301B PDF Dumps](#)

[301B Brindumps](#)