



303-200^{Q&As}

LPIC-3 Exam 303: Security, version 2.0

Pass Lpi 303-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/303-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which of the following stanzas is a valid client configuration for FreeRADIUS?

- A. client private-network-1 { ipaddr = 192 0 2.0/24 password = testing123-1 }
- B. client private-network-1 { ip= 192.0.2.0/24 password-testing123-1 }
- C. client private-network-1 { ip = 192 0 2.0/24 passwd = testing123-1 }
- D. client private-network-1 { ip = 192 0.2.0/24 secret = testing123-1 }
- E. client private-network-1 { ipaddr = 192 0 2.0/24 secret = testing 123-1 }

Correct Answer: E

QUESTION 2

What effect does the configuration SSLStrictSNIVHostCheck on have on an Apache HTTPD virtual host?

- A. The clients connecting to the virtual host must provide a client certificate that was issued by the same CA that issued the server's certificate.
- B. The virtual host is served only to clients that support SNI.
- C. All of the names of the virtual host must be within the same DNS zone.
- D. The virtual host is used as a fallback default for all clients that do not support SNI.
- E. Despite its configuration, the virtual host is served only on the common name and Subject Alternative Names of the server certificates.

Correct Answer: B

QUESTION 3

Which of the following are differences between AppArmor and SELinux? (Choose TWO correct answers).

- A. AppArmor is implemented in user space only. SELinux is a Linux Kernel Module.
- B. AppArmor is less complex and easier to configure than SELinux.
- C. AppArmor neither requires nor allows any specific configuration. SELinux must always be manually configured.
- D. SELinux stores information in extended file attributes. AppArmor does not maintain file specific information and states.
- E. The SELinux configuration is loaded at boot time and cannot be changed later on AppArmor provides user space tools to change its behavior.

Correct Answer: BD

**QUESTION 4**

Which of the following commands displays all ebtable rules contained in the table filter including their packet and byte counters?

- A. ebtables -t nat -L -v
- B. ebtables-L-t filter -Lv
- C. ebtables -t filter -L --Lc
- D. ebtables -t filter -Ln -L
- E. ebtables-L -Lc-t filter

Correct Answer: C

QUESTION 5

Which of the following commands adds a new user usera to FreeIPA?

- A. useradd usera --directory ipa --gecos *User A"
- B. idap- useradd --H Idaps:jjipa-server CN=UserA --attribs "Firstname: User: Lastname: A"
- C. ipa-admin create user --account usera -_fname User --iname A
- D. ipa user-add usera --first User --last A
- E. ipa-user- add usera --name "User A"

Correct Answer: D

[Latest 303-200 Dumps](#)

[303-200 VCE Dumps](#)

[303-200 Study Guide](#)