3101^{Q&As}

3101^{Q&As}

Avaya Aura® Communication Manager and CM Messaging - Embedded Maintenance and Troubleshooting Exam

Pass Avaya 3101 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.pass4itsure.com/3101.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

In addition to consulting Avaya Aura® Communication Manager Server Alarms (03-602798) for interpreting the Server Alarms section of the Current Alarms Page as shown In the exhibit, what other information source helps interpret these alarms I

A. Status Summary page (SMI)

B. SAT: display alarms command

C. Server manufacture\'s maintenance documentation

D. SAT: display events command

Correct Answer: B

QUESTION 2

Avaya Communication Manager 6.0 offers the Feature and Evolution server options. Which two IP station protocols do the Feature and Evolution server options support? (Choose two)

A. SIP

B. T.38

C. RTP

D. H.323

E. UDP

Correct Answer: AD

QUESTION 3

Which non-Communication Manager tool or interface is helpful in monitoring virtual machines like Communication Manager Release 6.0?

A. Avaya Fault and Performance Manager

B. Avaya Site Administration

C. Avaya Network Management Console

D. Avaya Aura® System Platform

Correct Answer: D

QUESTION 4

An IP telephone is registered and has dial tone, but Telephones In the same work area work properly. What Is the likely source of the problem?

A. Faulty gateway port

B. Incorrect dial plan

C. Station administration

D. Trunk group administrator

Correct Answer: C

QUESTION 5

Communication Manager Messaging users are reporting that their message lights do not come on when broadcast messages are delivered to their mailboxes. How can this be resolved?

A. Set up the broadcast mailbox to automatically turn on message notification.

B. Change the subscriber broadcast permissions to "Both".

C. Change the system administration screen so that the broadcast message is delivered during the "System Prime Time".

D. Have the user turn on message notification when the y creates the broadcast message.

Correct Answer: C

Latest 3101 Dumps   3101 Exam Questions   3101 Braindumps