



31860X^{Q&As}

Avaya IX Calling Design

Pass Avaya 31860X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/31860x.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

You are recommending the WAN link requirement per branch for a multi-location customer. The customer estimates the branch Inter-office communication use rate over the WAN to be one trunk per 20 branch users, and there are 460 users at each branch. You assume that after all header compressions have been applied, there is a 30% protocol overhead, and the G.729 codec being used provides 7.2 kbps.

How much bandwidth is needed for voice traffic on the WAN link for each branch?

- A. 187.2 Kbps
- B. 115.9 Kbps
- C. 165.6 Kbps
- D. 215.3 Kbps

Correct Answer: B

QUESTION 2

A customer has a single site with 2,500 users. They want a solution that provides hardware redundancy. The failure of a single component should not be service impacting.

Given these parameters, what would satisfy their request?

- A. Communication Manager Duplex
- B. Communication Manager S8300
- C. Communication Manager Simplex with Survivable Core
- D. Communication Manager Simplex with Survivable Remote

Correct Answer: A

QUESTION 3

In preparation for the migration of CS1000 phones to Avaya Aura your customer is trying to understand how things will work after the migration.

How will CS1000 phones register?

- A. To Session Manager via the Avaya Device Adapter
- B. Directly to Communication Manager
- C. Directly to the Avaya Device Adapter
- D. To System Manager via the Avaya Device Adapter



Correct Answer: C

QUESTION 4

What is a benefit of Session Manager?

- A. It centralizes the management of remote gateways.
- B. It provides SIP application interoperability across multi-vendor equipment.
- C. It provides traditional analog trunking to the edge devices.
- D. It de-centralizes management of phones and users enterprise-wide.

Correct Answer: A

QUESTION 5

A customer is adding a branch location, and they have an Avaya Aura core at their existing location. It is a requirement that the equipment at the new branch location continues to provide service during WAN failures. This includes the ability for callers to leave a voicemail message by having the call route from the new location over PRI to the core location where the voicemail resides.

Assuming both locations have PRI and G450s, which item needs to be included at the new location?

- A. Standard Local Survivability
- B. Survivable Remote server
- C. Survivable Core server
- D. Session Manager server

Correct Answer: C

[Latest 31860X Dumps](#)

[31860X PDF Dumps](#)

[31860X Brindumps](#)