

350-018^{Q&As}

CCIE Security written

Pass Cisco 350-018 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/350-018.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center


- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which two router configurations block packets with the type 0 routing header on the interface?(Choose two) A. Option A



https://www.pass4itsure.com/350-018.html 2022 Latest pass4itsure 350-018 PDF and VCE dumps Download

D. ipv6 access-list Deny_Loose_Source_Routing
permit ipv6 any any
interface Facilithernet 0/0
ipv6 traffic-filter Deny_Loose_Source_Routing in

E. ipv6 access-list Deny_Loose_Source_Routing
deny ipv6 te80x/10 any mobility-type bind-refresh
permit ipv__tray any
interface () thernet 0/0
ipv6 traffic-filter Deny_Loose_Source_Routing in

- B. Option B
- C. Option C
- D. Option D
- E. Option E

Correct Answer: BC

QUESTION 2

In RFC 4034, DNSSEC introduced which four new resource record types? (Choose four.)

- A. DNS Public Key (DNSKEY)
- B. Next Secure (NSEC)
- C. Resource Record Signature (RRSIG)
- D. Delegation Signer (DS)
- E. Top Level Domain (TLD)
- F. Zone Signing Key (ZSK)

Correct Answer: ABCD

QUESTION 3



https://www.pass4itsure.com/350-018.html

2022 Latest pass4itsure 350-018 PDF and VCE dumps Download

Which statement is true about an SNMPv2 communication?

- A. The whole communication is not encrypted.
- B. Only the community field is encrypted.
- C. Only the query packets are encrypted.
- D. The whole communication is encrypted.

Correct Answer: A

QUESTION 4

What is the most common use of Scavenger-Class QoS?

- A. Mitigating DoS attacks
- B. Mitigating SQL injection attacks
- C. traffic shaping
- D. prioritizing traffic

Correct Answer: A

QUESTION 5

Which statement about the ASA redundant interface is true?

- A. It is a logical interface that combines two physical interfaces, both of which are active.
- B. It can only be used for failover links.
- C. By default, the first physical interface that is configured in the pair is the active interface.
- D. The redundant interface uses the MAC address of the second physical interface in the pair.

Correct Answer: C

Latest 350-018 Dumps

350-018 VCE Dumps

350-018 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.