

## 350-050<sup>Q&As</sup>

**CCIE** Wireless Written

## Pass Cisco 350-050 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/350-050.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



# VCE & PDF Pass4itSure.com

#### https://www.pass4itsure.com/350-050.html

2022 Latest pass4itsure 350-050 PDF and VCE dumps Download

#### **QUESTION 1**

What is the correct command to upgrade an autonomous AP to a Cisco Unified AP (Cisco IOS Release 12.3(8)JEA2), after you established console access to the AP and set up a TFTP server at 1.1.1.1?

- A. AP# copy tftp: flash:/// c1140-rcvk9w8-tar.123-8.JEA2.tar
- B. AP# archive download-sw/force-reload/overwrite tftp://1.1.1.1/ c1140-k9w7-tar.123- 8.JEA2.tar
- C. AP# archive download-sw/force-reload/overwrite tftp://1.1.1.1/ c1140-rcvk9w8-tar.123- 8.JEA2.tar
- D. AP# archive download-sw/force-reload/overwrite tftp://1.1.1.1/ c1140-k9w7-bin.123- 8.JEA2.bin

Correct Answer: C

#### **QUESTION 2**

A 7-Mb multicast traffic stream is being sent to wireless clients and it is using up most of the available wireless spectrum in the 2.4-GHz unlicensed band. As a result, many of the data applications have become sluggish and the video is choppy. What is the best option to send the multicast over the wireless network more efficiently and leave some bandwidth for the data applications (assuming the network is capable of supporting this option)?

- A. Raise the DTIM to 10
- B. Enable WMM QoS
- C. Turn on multicast-multicast mode
- D. Turn off the lower data rates

Correct Answer: D

#### **QUESTION 3**

What does disabling broadcast SSID in the WLAN configuration do?

- A. causes beacons to be unicast instead of broadcast
- B. prevents beacons from being sent and allows only probes
- C. allows beacons to be sent but leaves the SSID name field empty
- D. forbids all broadcasts for that SSID
- E. makes the SSID respond only to blank probes

Correct Answer: C

## QUESTION 4



## https://www.pass4itsure.com/350-050.html

2022 Latest pass4itsure 350-050 PDF and VCE dumps Download

Which of the following are required components for Client MFP? (Choose two.)

- A. CCXv4
- B. CCXv5
- C. 802.11n
- D. WPA2 w/TKIP or AES-CCMP
- E. AnyConnect 3.0

Correct Answer: BD

#### **QUESTION 5**

Company XYZ has a wireless network in place. Which three general guidelines should be followed to overlay a Cisco Context-Aware Mobility Solution? (Choose three.)

- A. The maximum effective AP spacing should be between 40 feet and 70 feet.
- B. There should be a minimum of two APs within range of each client.
- C. APs at the perimeter of the coverage area need to be deployed.
- D. The physical placement of APs must be collinear.
- E. Equilateral triangle placement of the APs yields better accuracy.

Correct Answer: ACE

Latest 350-050 Dumps

350-050 PDF Dumps

350-050 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

## Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.