



350-060^{Q&As}

CCIE SP Operations Written

Pass Cisco 350-060 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/350-060.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.

```
RP/0/RP0/CPU0:CRS-CCIE#show tech-support netflow file harddisk:/tech-  
support-netflow.txt  
% This command is not authorized  
RP/0/RP0/CPU0:CRS-CCIE#  
RP/0/RP0/CPU0:CRS-CCIE#show tech-support ?  
  bcdl          Output show commands of interest for bcdl debugging  
  cef           Output show commands of interest for CEF debugging  
  file          Specify a valid file name (e.g. disk0:tmp.log)  
  gsp           Output show commands of interest for gsp debugging  
  install       Show install information for tech-support  
  multi-chassis Show multi-chassis system information for tech-support  
  multicast     Show multicast related information  
  password      Include password in output  
  platform     show tech-support platform output  
  routing       Routing show tech-support output  
  sanitized     Sanitized configuration in output  
  terminal      Send output to terminal  
RP/0/RP0/CPU0:CRS-CCIE#show tech-support
```



A network operator uses TACACS for authentication and authorization. While troubleshooting a NetFlow problem, the operator was requested by Cisco TAC to get the output of show tech- support netflow. The exhibit shows that the command failed with a message "% This command is not authorized." The operator is logged into the router with privilege 15 user account defined in TACACS. What is the most likely reason for this?

- A. The router is missing a software package information envelope (PIE) necessary for NetFlow.
- B. NetFlow is not configured on the router.
- C. The operator has to log into the router by using a local username.
- D. The usergroup priv15 command is not configured properly.
- E. show tech-support netflow is not a supported command.

Correct Answer: D

QUESTION 2

A service provider upgraded its core routers to CRS-1. The service provider connects the CRS-1 to an internal network via CRS-1 management ports. This internal network is configured with private IP addresses. All SSH access from a service provider workstation that is incoming to the management ports of the CRS-1 routers was tested and was found to be working properly. The routers were configured for AAA by using the Cisco Secure Access Control Server, and AAA was working as desired. Furthermore, SNMP traffic used the inband 10-Gigabit Ethernet ports, and all SNMP functionality was properly configured and tested prior to the rollout. After CRS-1 routers were placed in production, a need arose to engage Cisco TAC to perform troubleshooting and diagnosis on the routers. It was noted that while all service provider operations staff could access the routers from the private IP-based management network, Cisco TAC could not access the router because its connection was coming in on the inband 10-Gigabit Ethernet ports. The VTY line ACLs were configured to allow the Cisco TAC source IP address, but that did not fix the problem.

What is a possible cause for the lack of connectivity? (Choose one.)



- A. Local packet transport service is misconfigured.
- B. The Cisco IOS XR administration plane is misconfigured.
- C. The Cisco IOS XR IPv4 virtual address is not configured to be used as a source address.
- D. Management plane protection is misconfigured.
- E. WDSysMon is monitoring the incoming connection and disallowing it.

Correct Answer: D

QUESTION 3

Certain tools conduct ongoing polling of a network device or managed system to determine its status and availability, and they generate an alert (event) for any exceptions that require a response or action. According to ITIL v3 framework, which type of monitoring do these tools perform?

- A. passive
- B. active
- C. reactive
- D. proactive

Correct Answer: B

QUESTION 4

Assume that you have to manage a network with several remote locations. You are told that you need to collect performance data from each remote location to access the total traffic that goes to the corporate office, that go to other remote locations, and that go outside of the organization. Your low-bandwidth WAN connection that goes to the NOC does not have enough bandwidth to allow for export of all of the data from the remote locations. What other option should you pursue?

- A. Use time-division multiplexing algorithms to estimate performance data based on WAN bandwidth.
- B. Use baseline performance information to calculate offset based on WAN bandwidth.
- C. Use IF-MIB and CISCO-IF-EXTENSION-MIB to measure egress transmission efficiency.
- D. Use a remote-management application to collect data at the remote site and send back the aggregated information.
- E. Use historical data to estimate information at remote locations.

Correct Answer: D

QUESTION 5

Why are thresholds defined based on baseline documents?



- A. to ensure that QoS parameters are defined appropriately
- B. to help identify current network problems and predict future bottlenecks
- C. to suppress duplicate alarms and allow for event correlation
- D. to reduce polling traffic on the network
- E. to verify that interfaces are in the correct state

Correct Answer: B

[350-060 PDF Dumps](#)

[350-060 Practice Test](#)

[350-060 Study Guide](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.pass4itsure.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 One Year Free Update <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 Money Back Guarantee <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 Security & Privacy <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.