



350-901^{Q&As}

Developing Applications Using Cisco Core Platforms and APIs
(DEVCOR)

Pass Cisco 350-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/350-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is a capability of the End User Monitoring feature of the AppDynamics platform?

- A. discovers traffic flows, nodes, and transport connections where network or application/network issues are developing
- B. monitoring local processes, services, and resource use, to explain problematic server performance
- C. identifies the slowest mobile and IoT network requests, to locate the cause of problems
- D. provides metrics on the performance of the database to troubleshoot performance- related issues

Correct Answer: C

Reference: <https://docs.appdynamics.com/display/PRO21/Overview+of+End+User+Monitoring>

QUESTION 2

Which Puppet manifest changes the NTP server and generates the traffic from VLAN 15?

A.

```
ntp_server { '172.30.200.11':  
  ensure      => 'present',  
  key         => 94,  
  prefer      => true,  
  minpoll     => 4,  
  maxpoll     => 14,  
  vlan        => '15',  
}
```

B.

```
ntp_server {  
  ip           => '172.30.200.11',  
  ensure      => 'present',  
  key         => 94,  
  prefer      => true,  
  minpoll     => 4,  
  maxpoll     => 14,  
  source_interface => '15',  
}
```

C.

```
ntp_server { '172.30.200.11':  
  ensure      => 'present',  
  key         => 94,  
  prefer      => true,  
  minpoll     => 4,  
  maxpoll     => 14,  
  source_interface => 'Vlan 15',  
}
```

A. B. C.



```
ntp_server {
  server          => '172.30.200.11'
  ensure         => 'present',
  key            => 94,
  prefer        => true,
  minpoll       => 4,
  maxpoll       => 14,
  source_interface => 'Vlan 15',
}
```

D.

Correct Answer: C

QUESTION 3

DRAG DROP

Drag and drop the code from the bottom onto the box where the code is missing to list objects that use the paginated Cisco FDM API. Some options may be used more than once. Not all options are used.

Select and Place:



```
import requests
import json

BASE_URL = 'https://ftd.example.com/api/fdm/latest'

nextURL = f'{BASE_URL}/object/networks'

while :

    response = requests.request("GET", nextURL)
    result = json.loads(response.text)

    print(response.text.encode('utf8'))

    if len(result ) > 0:

        nextURL = result  [0]

    else:
        nextURL = 
```

Correct Answer:



```
import requests
import json

BASE_URL = 'https://ftd.example.com/api/fdm/latest'

nextURL = f'{BASE_URL}/object/networks'

while :

    response = requests.request("GET", nextURL)
    result = json.loads(response.text)

    print(response.text.encode('utf8'))

    if len(result ) > 0:
        nextURL = result 

    else:
        nextURL = 
```

QUESTION 4

A developer is deploying an application to automate the configuration and management of Osco network files and routers. The application must use REST API interface to achieve programmability. The security team mandates that the network

must be protected against DDoS attacks.

What mitigates the attacks without impacting genuine requests?



- A. API rate limiting at the application layer
- B. IP address filtering at the application layer
- C. traffic routing on the network perimeter
- D. firewall on the network perimeter

Correct Answer: D

QUESTION 5

Given an application that implements a basic search function as well as a video upload function, which two load-balancing approaches optimize the application's user experience? (Choose two.)

- A. Video upload requests should be routed to the endpoint using an intermediate hop.
- B. Video upload requests should be routed to the endpoint with highest data throughput.
- C. Video upload requests should be routed to the endpoint with lowest round-trip latency.
- D. Search requests should be routed to the endpoint with lowest round-trip latency.
- E. Search requests should be routed to the endpoint with highest data throughput.

Correct Answer: BD

[Latest 350-901 Dumps](#)

[350-901 PDF Dumps](#)

[350-901 Braindumps](#)