



350-901^{Q&As}

Developing Applications Using Cisco Core Platforms and APIs
(DEVCOR)

Pass Cisco 350-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/350-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

DRAG DROP

Drag and drop the steps on the left into the order on the right for an end-user to access an OAuth2 protected resource using the Authorization Code Grant1 flow.

Select and Place:

Answer Area

end-user initiates authentication OAuth client	step 1
OAuth client requests access token from authorization server	step 2
OAuth client requests a resource on the resource server	step 3
OAuth client receives access token from authorization server	step 4
OAuth client receives an authorization code	step 5
OAuth client communicates with authorization server to display login UI	step 6
end-user authenticates with the authorization server	step 7

Correct Answer:



Answer Area

OAuth client requests a resource on the resource server

OAuth client receives access token from authorization server

end-user initiates authentication OAuth client

OAuth client requests access token from authorization server

OAuth client communicates with authorization server to display login UI

end-user authenticates with the authorization server

OAuth client receives an authorization code

QUESTION 2

A developer releases a new application for network automation of Cisco devices deployed in a local data center. The application utilizes complex design patterns such as microservices that host multiple third-party libraries and programming languages. The development must be simplified by implementing an observability-driven development lifecycle. Which two considerations must be taken to meet the requirements? (Choose two.)

- A. which KPIs to monitor
- B. description of low-level errors
- C. relevant metrics to expose
- D. which monitoring tools to use
- E. identifying customer priorities

Correct Answer: AC

QUESTION 3

An application has been developed for monitoring rooms in Cisco Webex. An engineer uses the application to retrieve all the messages from a Cisco Webex room, but the results are slowly presented. Which action optimizes calls to retrieve the messages from the /v1/messages endpoint?

- A. Define the max property by using the pagination functionality.
- B. Set the beforeMessage property to retrieve the messages sent before a specific message ID.



- C. Avoid unnecessary calls by using a prior request to /v1/rooms to retrieve the last activity property.
- D. Filter the response results by specifying the created property in the request.

Correct Answer: A

Reference: <https://apphub.webex.com/messaging/applications/paginate-cisco-systems-82277>

QUESTION 4

Which two data encoding techniques are supported by gRPC? (Choose two.)

- A. XML
- B. JSON
- C. ASCII
- D. ProtoBuf
- E. YAML

Correct Answer: BD

QUESTION 5

An engineer needs to automate the configuration on a Cisco NX-OS switch. The solution must meet these requirements:

Ansible is used The transport protocol is encrypted Support for Asynchronous requests.

Which two access mechanisms must be used? (Choose two.)

- A. SNMP Version 2c
- B. NETCONF
- C. NX-API
- D. HTTPS
- E. JSON-RPC

Correct Answer: BD

[Latest 350-901 Dumps](#)

[350-901 PDF Dumps](#)

[350-901 Practice Test](#)