



350-901^{Q&As}

Developing Applications Using Cisco Core Platforms and APIs
(DEVCOR)

Pass Cisco 350-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/350-901.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A developer deploys a web application in a local data center that is now experiencing high traffic load from users accessing data through REST API calls. Which approach enhances the responsiveness and performance of the API?

- A. Use HTTP POST or other non-read methods for read requests when possible
- B. Ensure that all read requests are clearly identified by the PUT method
- C. Configure API payload to return errors in HTTP 200 responses
- D. Use HTTP standard authorization header to submit authentication credentials

Correct Answer: D

QUESTION 2

Refer to the exhibit.

```
import http.client

conn = http.client.HTTPSConnection("dnac.cisco.com")

headers = {
    '_runsync': "true",
    '_timeout': "30",
    '_persistbapioutput': "true",
}

conn.request("□", "/dna/intent/api/v1/□?timestamp=10000", headers=headers)

res = conn.getresponse()
data = res.read()

print(data.decode("utf-8"))
```

Which configuration of method and parameter retrieves the health of a laptop connected to the network from Cisco DNA Center?

- A. PUT; network-health;
- B. GET; client-health;
- C. GET; network-device;
- D. POST; network-device;

Correct Answer: B



Explanation: Get Overall Client Health GET /dna/intent/api/v1/client-health Returns Overall Client Health information by Client type (Wired and Wireless) for any given point of time <https://developer.cisco.com/docs/dna-center/api/1-3-3-x/#!intent-api-v1-3-3-x>

QUESTION 3

Which two gRPC modes of model-driven telemetry are supported on Cisco IOS XE Software? (Choose two.)

- A. dial-in
- B. dial-out
- C. call-in
- D. call-out
- E. passive

Correct Answer: AB

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/1612/b_1612_programmability_cg/model_driven_telemetry.html#id_86392

QUESTION 4

Refer to the exhibit , The command `docker build -tag=friendlyhello .` is run to build a docker image from the given Dockerfile, requirements.txt, and app.py, Then the command `docker run -p 4000:80 friendlyhello` is executed to run the application.

Which URL is entered in the web browser to see the content served by the application?

- A. `http://localhost:4000`
- B. `http://localhost:80`
- C. `http://127.0.0.1:80`
- D. `http://4000:80`

Correct Answer: A

QUESTION 5

Refer to the exhibit Pipenv is used to manage dependencies The test runs successfully on a local environment. What is the reason for the error when running the test on a C:\CD pipeline?

- A. The pipfile in the local environment was not pushed to the remote repository



- B. All the unit tests in testsum.py failed
- C. Pytest did not detect any functions that start with test_.
- D. Nose2 was not used as the test runner

Correct Answer: A

[Latest 350-901 Dumps](#)

[350-901 Exam Questions](#)

[350-901 Braindumps](#)