

351-018^{Q&As}

CCIE Security written

Pass Cisco 351-018 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/351-018.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/351-018.html

2022 Latest pass4itsure 351-018 PDF and VCE dumps Download

QUESTION 1

Which would be the best method to deploy on a Cisco ASA to detect and prevent viruses and worms?

- A. deep packet inspection
- B. content security via the Control Security Services Module
- C. Unicast Reverse Path Forwarding
- D. IP audit signatures

Correct Answer: B

QUESTION 2

When implementing WLAN security, what are three benefits of using the TKIP instead of WEP? (Choose three.)

- A. TKIP uses an advanced encryption scheme based on AES.
- B. TKIP provides authentication and integrity checking using CBC-MAC.
- C. TKIP provides per-packet keying and a rekeying mechanism.
- D. TKIP provides message integrity check.
- E. TKIP reduces WEP vulnerabilities by using a different hardware encryption chipset.
- F. TKIP uses a 48-bit initialization vector.

Correct Answer: CDF

QUESTION 3

Which two OSPF network types support the concept of a designated router? (Choose two.)

- A. broadcast
- B. NBMA
- C. point-to-multipoint
- D. point-to-multipoint nonbroadcast
- E. loopback

Correct Answer: AB

QUESTION 4

https://www.pass4itsure.com/351-018.html 2022 Latest pass4itsure 351-018 PDF and VCE dumps Download

Review the exhibit.

With inline VLAN pairs on a sensor:

- You cannot pair a VLAN with itself.
- B. For a given sensing interface, an interface used in a VLAN pair can be a member of another inline interface pair.
- C. For a given sensing interface, a VLAN can be a member of only one inline VLAN pair; however, a given VLAN can be a member of an inline VLAN pair on more than one sensing interface.
- D. The order in which you specifiy the VLANs in a inline pair is significant.
- E. A sensing interface in inline VLAN pair mode can have from 255 inline VLAN pairs.



Which three statements about the Cisco IPS sensor are true? (Choose three.)

A. A

B. B

C. C

D. D

E. E

Correct Answer: ACE

QUESTION 5

Which two pieces of information are communicated by the ASA failover link? (Choose two.)

A. unit state

B. connections State

C. routing tables

D. power status

E. MAC address exchange

Correct Answer: AE



https://www.pass4itsure.com/351-018.html 2022 Latest pass4itsure 351-018 PDF and VCE dumps Download

351-018 PDF Dumps

<u>351-018 Study Guide</u>

351-018 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.