

351-080^{Q&As}

CCIE Data Center Written

Pass Cisco 351-080 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/351-080.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.pass4itsure.com/351-080.html

2022 Latest pass4itsure 351-080 PDF and VCE dumps Download

QUESTION 1

Nexus7000# config t Nexus700(config)# interface 65thernet 2/11 Nexus700(config-if)# switchport mode private-vlan host Nexus700(config-if)# switchport private-vlan host-association 14 50 Nexus700(config-if)# exit Nexus700(config)# What will this command sequence achieve?

- A. associate interface E2/11 to community VLANs 14 and 50
- B. associate interface E2/11 to secondary VLANs 14 and 50
- C. associate interface E2/11 to primary VLAN 50 and secondary VLAN 14
- D. associate interface E2/11 to primary VLAN 14 and secondary VLAN 50

Correct Answer: D

QUESTION 2

Which GSS "source access list" is used to allow access to GSS by clients when GSS is being used as the DNS?

- A. Client IP
- B. Proxy IP
- C. Client and proxy IP
- D. Neither client nor proxy IP

Correct Answer: A


QUESTION 3

Refer to the exhibit.

https://www.pass4itsure.com/351-080.html

2022 Latest pass4itsure 351-080 PDF and VCE dumps Download

Output of "show mac address-table" on Fabric Interconnect A



Fabric Interconnect A, operating in end-host mode, receives an ingress frame with source MAC address 0025.b500.0035 on uplink Eth1/19.

Which statements are true? (Choose two.)

- A. The frame will be accepted. Fabric Interconnect A will update its MAC address table to show that 0025.b500.0035 is dynamically learned on Eth1/19 and no longer dynamically learned on Eth5/1/6.
- B. Fabric Interconnect A will transmit a Gratuitous ARP for 0025.b500.0035 since it has moved ports, and the upstream network needs to be notified of the new location.
- C. Fabric Interconnect A will drop the frame.
- D. The MAC address table will not be updated as a result of receiving this frame on an uplink.
- E. Reverse Path Forwarding will determine whether or not this frame is dropped by Fabric Interconnect A.
- F. Deja vu will determine whether or not this frame is dropped by Fabric Interconnect A.


Correct Answer: CD

QUESTION 4


Select and Place:



https://www.pass4itsure.com/351-080.html 2022 Latest pass4itsure 351-080 PDF and VCE dumps Download




Correct Answer:



QUESTION 5

Select and Place:



Correct Answer:



https://www.pass4itsure.com/351-080.html 2022 Latest pass4itsure 351-080 PDF and VCE dumps Download

adding a VLAN to a vNIC	Will Require Blade Reboot
	changing the iSCSI authentication profile
	enabling fabric failover
changing a QoS system class MTU	
enabling Cisco Discovery Protocol on a vNIC	

351-080 PDF Dumps

351-080 VCE Dumps

351-080 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.