



352-011^{Q&As}

Cisco Certified Design Expert Practical

Pass Cisco 352-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/352-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which main IoT migration aspect should be reviewed for a manufacturing plant?

- A. Sensors
- B. Security
- C. Applications
- D. Wi-Fi Infrastructure
- E. Ethernet Switches

Correct Answer: A

QUESTION 2

ACME Corporation is integrating IPv6 into their network, which relies heavily on multicast distribution of data. Which two IPv6 integration technologies support IPv6 multicast? (Choose two.)

- A. 6VPE
- B. 6PE
- C. dual stack
- D. ISATAP
- E. 6to4
- F. IPv6INIP

Correct Answer: CE

QUESTION 3

Refer to the exhibit.



ACME Mining has four data centers in Santiago, Cape Town, Mumbai, and Beijing. They are full-mesh connected via a 400 Mb/s EVP-LAN. A 1-TB transfer occurs daily via FTP between the Santiago and Mumbai data centers. When testing,

the data transfer took an \\\"unexpected and outrageous, with an average transfer rate of 47 KB/s. The team provided this information.

LAN bandwidth usage below 5% at both data centers during transfer.

WAN bandwidth usage was between 20-30% at both data centers during transfer.

The only QoS on WAN is KB/s strict priority configured for other types of traffic.

There is no QoS on LAN.

The ping RTT average between data centers is 378 milliseconds.

Which action improves the file transfer rate?

- A. Use SFTP instead of FTP
- B. Apply optimization techniques at both data centers.
- C. Use TFTP instead of FTP.
- D. Classify FTP transfer and use the strict priority queue on the WAN.

Correct Answer: B

QUESTION 4

What is a design application of control plane policing?

- A. CPP protects the control plane from reconnaissance and or denial-of-service attacks
- B. CPP protects the forwarding plane by rate -limiting excessive routing protocol traffic
- C. CPP protects the forwarding plane by allowing legitimate traffic and dropping excessive traffic
- D. CPP drop malformed packet that are sent to the CPU

Correct Answer: A



QUESTION 5

Your client is considering acquiring a new IPv6 address block so that all Ethernet interfaces on the network receive addresses based on their burned-in hardware addresses, with support for 600 VLANs. Which action do you recommend?

- A. Acquire a new /60 IPv6 network and subnet it into /70 networks, one per VLAN
- B. Acquire a new /58 IPv6 network and subnet it into /64 networks, one per VLAN
- C. Acquire a new /60 IPv6 network and subnet it into /68 networks, one per VLAN
- D. Acquire a new /54 IPv6 network and subnet it into /64 networks, one per VLAN

Correct Answer: D

[Latest 352-011 Dumps](#)

[352-011 PDF Dumps](#)

[352-011 Braindumps](#)