



# 3605<sup>Q&As</sup>

Avaya Ethernet Routing Switch Implementation and Maintenance Exam

## Pass Avaya 3605 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/3605.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

A customer is upgrading an existing ERS 8610 with the 8692SF to software version 7.x. Which statement regarding the upgrade is correct?

- A. The customer must upgrade the 8692SF to an 8893SF for software release 7.x.
- B. The customer can run 7.x with the existing 8692SF, although some features will be disabled.
- C. The customer can add the SuperMezz module to the 8692SF and run release 7.x.
- D. The customer must upgrade to an ERS 8810 chassis to run software release 7.x.

Correct Answer: C

**QUESTION 2**

Based on the command line output shown in the exhibit, how many Gigabit Ethernet ports are available on this Ethernet Routing Switch (ERS) 8600?

```
ERS8610C01
CT86101:5#
CT86101:5#
CT86101:5#
CT86101:5#
CT86101:5#
CT86101:5#
CT86101:5# show
CT86101:5/show# sys
CT86101:5/show/sys# infoasic
#
# Asic Info :
# SlotNum|Name      |CardType      |MdaType |Parts Description
#
# Slot 1 8648TXE 0x20210130 0x00000000 IOM: PLRO=3 BFN: OP=3 THUX=2 RARU=4 CPLD=5
# Slot 2 8608GBE 0x20325108 0x00000000 IOM: GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 3 8632TXE 0x20210120 0x00000000 IOM: PLRO=3 GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 4 8632TXE 0x20210120 0x00000000 IOM: PLRO=3 GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 5 8691SF 0x200e0100 0x00000000 CPU: CPLD=19 MEZZ=2 SFH: OP=3 THUX=2 SWIP=3 FAD=1 CF=16
# Slot 6 -- 0x00000001 0x00000000
# Slot 7 8632TXE 0x20210120 0x00000000 IOM: PLRO=3 GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 8 8632TXE 0x20210120 0x00000000 IOM: PLRO=3 GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 9 8608GBE 0x20325108 0x00000000 IOM: GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
# Slot 10 8632TXE 0x20210120 0x00000000 IOM: PLRO=3 GHAC=5 BFN: OP=3 THUX=2 RARU=4 CPLD=9
CT86101:5/show/sys#
```

- A. 16
- B. 24
- C. 26
- D. 28

Correct Answer: A

**QUESTION 3**



Which two functions describe VPFM? (Choose two.)

- A. It is a network health at a glance tool.
- B. It can correlate faults, traps, and provide notification.
- C. It is another term for the SNMP credential.
- D. It is a device configuration tool.

Correct Answer: AB

---

#### QUESTION 4

In a multicast campus, when should an ERS 8600 PIM interface be configured to run in passive mode?

- A. When the interface is used as an edge interface and is aggregating traffic.
- B. When the interface is used as a core interface and needs to limit PIM messages to reduce the system load.
- C. When there are no unicast routing paths.
- D. When more than one unicast routing protocol is in use.

Correct Answer: A

---

#### QUESTION 5

The goal of the Converged Campus architecture is to provide a highly reliable infrastructure with subscribed failover preventing any interruption of traffic on the network? What are the two primary benefits of this design goal? (Choose two)

- A. In the event of a failure, no loss of connectivity or application availability will be experienced by the end user.
- B. This architecture provides high performance Layer 3 switching, resiliency, security, and services.
- C. This design goal provides numerous connectivity options including Asynchronous Transfer Mode (ATM), Packet over SONET (POS), and 10 Gigabit Ethernet.
- D. The design goal provides the ability to provide hitless software upgrade for the core of the network.

Correct Answer: AD

---

[Latest 3605 Dumps](#)

[3605 VCE Dumps](#)

[3605 Practice Test](#)