



# 3V0-42.20<sup>Q&As</sup>

Advanced Design VMware NSX-T Data Center

## Pass VMware 3V0-42.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.pass4itsure.com/3v0-42-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which three choices are non-functional requirements? (Choose three.)

- A. authorization
- B. certification
- C. availability
- D. authentication
- E. scalability
- F. cost

Correct Answer: ABE

---

### QUESTION 2

An architect is helping an organization with the Physical Design of an NSX-T Data Center solution.

This information was gathered during a workshop:

Any proposed solution must provide low latency. Any proposed solution must provide high throughput. Customer is running stock trading applications.

Which two selections should the architect recommend to meet high-performance workload requirements? (Choose two.)

- A. Leverage ESXi as the compute host.
- B. Use LACP for all uplink profiles.
- C. Leverage KVM as the compute host.
- D. Enable enhanced data path mode on the N-VDS.
- E. Enable latency sensitivity mode on the N-VDS.

Correct Answer: AD

---

### QUESTION 3

Which selection must be taken into consideration when creating a Logical Design for a planned migration? (Choose the best answer.)

- A. An N-VDS can only attach to a single Overlay transport zone.



- B. An N-VDS can only attach to a single VLAN transport zone.
- C. An N-VDS can attach to both an Overlay and a VLAN transport zone to a N-VDS having different name/s.
- D. An N-VDS must be disabled before attaching both Overlay and VLAN transport zones.

Correct Answer: B

---

#### QUESTION 4

An architect is helping an organization with the Conceptual Design of an NSX-T Data Center solution.

Which three selections are requirements documented by an architect? (Choose three.)

- A. Aggregate N-S throughput at any given time should be at least 10G.
- B. All traffic should recover in the event of Host/Rack/ToR failure.
- C. Hardware is 5 years old and new hardware is already purchased.
- D. SAN storage has enough capacity to build the new infrastructure.
- E. Business critical applications should have an SLA of 99.99%.
- F. The Development Team are heavy on API usage.

Correct Answer: ACF

---

#### QUESTION 5

Which is a family of solutions for data center designs that span compute, storage, networking, and management, serving as a blueprint for a customer's Software Defined Data Center (SDDC) implementations? (Choose the best answer.)

- A. VMware SDDC Design
- B. VMware Validated Design
- C. VMware POC Design
- D. VMware Cloud Foundation

Correct Answer: B

[Latest 3V0-42.20 Dumps](#)

[3V0-42.20 Study Guide](#)

[3V0-42.20 Exam Questions](#)