# 400-007<sup>Q&As</sup>

Cisco Certified Design Expert (CCDE Written)

# Pass Cisco 400-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

**https://www.pass4itsure.com/400-007.html**

## 100% Passing Guarantee
## 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

**QUESTION 1**

A BGP route reflector in the network is taking longer than expected to coverage during large network changes. Troubleshooting shows that the router cannot handle all the TCP acknowledgements during route updates. Which action can be performed to tune the device performance?

A. Increase the size of the hold queue.

B. Increase the size of the large buffers.

C. Decrease the size of the small buffers.

D. Increase the keepalive timers for each BGP neighbor.

Correct Answer: A

**QUESTION 2**

You are tasked with the design of a high available network. Which two features provide fail closed environments? (Choose two.)

A. EIGRP

B. RPVST+

C. MST

D. L2MP

Correct Answer: AB

**QUESTION 3**

The administrator of a small branch office wants to implement the Layer 2 network without running STP The office has some redundant paths.

Which mechanism can the administrator use to allow redundancy without creating Layer 2 loops?

A. Use double-sided VPC on both switches

B. Use two port channels as Flex links

C. Use fabric path with ECMP

D. Use 802.3ad link bundling.

Correct Answer: B

Flex links are a pair of a Layer 2 interfaces (switch ports or port channels) where one interface is configured to act as a backup to the other Reference:
https://www.cisco.com/en/US/docs/switches/lan/catalyst3850/software/release/3se/consolid

ated_guide/b_consolidated_3850_3se_cg_chapter_01001101.html

**QUESTION 4**

Which actions are performed at the distribution layer of the three-layer hierarchical network design model? (Choose two)

A. Fast transport

B. Reliability

C. QoS classification and marking boundary

D. Fault isolation

E. Redundancy and load balancing

Correct Answer: DE

**QUESTION 5**

As a network designer you need to support an enterprise with hundreds of remote sites connected over a single WAN network that carries different types of traffic, including VoIP, video, and data applications, which of following design considerations will not impact design decision?

A. Focus on the solution instead of the problem, which helps to reduce downtime duration

B. The location of the data collection

C. What direction the data or flows should be metered

D. Identify traffic types and top talkers over this link

Correct Answer: A

[Latest 400-007 Dumps](#)            [400-007 Practice Test](#)            [400-007 Braindumps](#)