

400-051^{Q&As}

CCIE Collaboration Written

Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.pass4itsure.com/400-051.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Pass4itSure.com

https://www.pass4itsure.com/400-051.html

2022 Latest pass4itsure 400-051 PDF and VCE dumps Download

QUESTION 1

Which two Cisco Unified Communications Manager SIP profile configuration parameters for a SIP intercluster trunk are mandatory to enable end-to-end RSVP SIP Preconditions between clusters? (Choose two.)

- A. Set the RSVP over SIP parameter to Local RSVP.
- B. Set the RSVP over SIP parameter to E2E.
- C. Set the SIP Rel1XX Options parameter to Disabled.
- D. Set the SIP Rel1XX Options parameter to Send PRACK If 1xx Contains SDP.
- E. Set the SIP Rel1XX Options parameter to Send PRACK for All 1xx Messages.
- F. Check the Fall Back to Local RSVP check box.

Correct Answer: BD

Each Unified Communications Manager cluster and Unified CME should have the same configuration information. For example, Application ID should be the same on each Unified Communications Manager cluster and Unified CME. RSVP Service parameters should be the same on each Unified Communications Manager cluster.

QUESTION 2

Which option describes how you can show the same contacts in your Jabber for Windows on-premise client as you do on the corporate directory of your IP phone?

- A. Switch your Jabber client to use UDS instead of EDI.
- B. Switch your Jabber client to use EDI instead of UDS.
- C. Update your IMandP server to sync off of the same LDAP directory as your Cisco Unified Communications Manager.
- D. Add Jabber to your inbound/outbound firewall rules on your PC.
- E. Jabber can only pull directly from LDAP and cannot directly search the Cisco Unified Communications Manager user database.

Correct Answer: A

LDAP contact resolution -- The client cannot use LDAP for contact resolution when outside of the corporate firewall. Instead, the client must use UDS for contact resolution. When users are inside the corporate firewall, the client can use either UDS or LDAP for contact resolution. If you deploy LDAP within the corporate firewall, Cisco recommends that you synchronize your LDAP directory server with Cisco Unified Communications Manager to allow the client to connect with UDS when users are outside the corporate firewall.

References: http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/Windows/9_7/JABW_BK_C4C679C9_00_cisco-jabber-for-windows-97/JABW_BK_C4C679C9_00_cisco-jabber-for-windows97_chapter_0111.html#CJAB_CN_C2733196_00



https://www.pass4itsure.com/400-051.html

2022 Latest pass4itsure 400-051 PDF and VCE dumps Download

QUESTION 3

Which two options are Power Save configuration parameters for Cisco 9971 IP Phones? (Choose two.)

- A. Phone On Time
- B. Phone Off Idle Timeout
- C. Day Display Not Active
- D. Enable Audio Alert
- E. Enable Power Save Plus
- F. Display on Duration

Correct Answer: CF

QUESTION 4

A Cisco Unity Connection administrator receives a name change request from a voice-mail user, whose Cisco Unity Connection user account was imported from Cisco Unified Communications Manager. What should the administrator do to execute this change?

- A. Change the user data in the Cisco Unity Connection administration page, then use the Synch User page in Cisco Unity Connection administration to push the change to Cisco Unified Communications Manager.
- B. Change the user data in the Cisco Unified Communications Manager administration page, then use the Synch User page in Cisco Unity Connection administration to pull the changes from Cisco Unified CM.
- C. Change the user data in the Cisco Unified Communications Manager administration page, then use the Synch User page in Cisco Unified CM administration to push the change to Cisco Unity Connection.
- D. Change the user profile from Imported to Local on Cisco Unity Connection Administration, then edit the data locally on Cisco Unity Connection.
- E. Change the user data in Cisco Unity Connection and Cisco Unified Communications Manager separately.

Correct Answer: B

As we can see user are getting synch from call manager so we first have to change the details of user on call manager so that user will synch the changes from call manager.

QUESTION 5

What is the maximum number of UCM nodes configurable on a Cisco IOS gateway to provide MGCP PRI call control?

- A. 2
- B. 4
- C. 5



https://www.pass4itsure.com/400-051.html 2022 Latest pass4itsure 400-051 PDF and VCE dumps Download

D. 3

E. 1

Correct Answer: A

400-051 VCE Dumps

400-051 Study Guide

400-051 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.pass4itsure.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © pass4itsure, All Rights Reserved.